

# KITCHEN & BEDROOM LIGHTING

20  
24

MAKING  
LIGHTING  
SIMPLE



**sensio**<sup>®</sup>

## BEAUTIFULLY SIMPLE LIGHTING SOLUTIONS


---

Since 2007 we've been creating lighting in harmony with modern life. Specialising in kitchens, bedrooms and bathrooms, quality and innovation has always been at the heart of what we do, from lighting that stands the test of time to technology that's exclusive to us.


At Sensio we pride ourselves on providing premium products matched with a flawless execution and service. All of our lighting solutions are designed and developed right here in the UK, where we can constantly strive to create new concepts to brighten people's lives. Always pushing to pioneer new technology that seamlessly illuminates customers' homes, our passion is making lighting both intelligently simple and beautiful.

We hope to inspire your space with the power of lighting and thank you for partnering with us at Sensio.

Michael Linsky  
Managing Director



## OUR PROMISES TO YOU



### Making Lighting Simple

Making Lighting Simple - one of the defining principles by which we live and breathe. Everything we do, whether it is in the design of our products, our customer service or how we communicate, we strive to always have Making Lighting Simple at the core. If it's not simple for you, our customer, we find another way until it is.



### Market Leading Innovation

We place our focus on doing things a little differently. We are dedicated to designing and developing new and innovative lighting solutions that meet various design requirements. Our high quality range of products offer the very latest LED technology and features to work in harmony with customer's kitchens and bedrooms. With our own in-house Product Development Team, we have the ability to not only work closely with customers to design products we know they need, but also innovate and lead the way in creating first to market, patented products.



### Extraordinary Service

We're here to offer our exemplary service levels to every single customer. Whether that's a quick resolution to your email query, ensuring your orders get to you on time and in full or proactive communication and exceptional account management, we're committed to offering extraordinary service at every point.



Members of:



# PIONEERING DESIGN

---

Designing in-house, we develop our products and packaging with the future in mind. Thinking about efficiency and waste reduction whilst creating high quality innovation.

## WE DON'T JUST FOLLOW THE TRENDS - WE HELP SET THEM

Our expertise and industry knowledge is an integral part of our business with our in-house product development and design team based here in the UK. To us, every detail makes the difference and we're not satisfied until each product is finished to the highest standard.

A number of our lights and profiles carry Registered Design Rights. This means as we strive to continually bring innovative and exciting products to the market, our valued partners can be assured of having access to products they won't find elsewhere.

Our extensive product range is also constantly reviewed, enhanced and improved to ensure we stay at the forefront of our industry.







## SUPERIOR QUALITY, GUARANTEED DURABILITY

We pride ourselves on using only the best components and materials to guarantee long life performance, high light output and enhanced durability. All of our products go through rigorous third-party testing and we're proud to be ISO 9001 accredited.

Our products have won awards for their design excellence time and time again and we're so confident that each product will exceed your expectations that we offer a 5-year guarantee on all of our kitchen and bedroom fittings.

## INSPIRING SERVICE & SOLUTIONS

We're always researching the latest trends, technology and fashion to deliver solutions that stand the test of time. We delve deep into the market to shine a light on how our products can improve home environments and the way people live. So whenever you choose a Sensio product, you can be assured it's been thoughtfully created for the future.

## WE'RE WORKING TOWARDS A MORE SUSTAINABLE FUTURE AND ARE COMMITTING RESOURCES TO ACTIVELY REDUCE OUR FOOTPRINT.

We care about our impact on the world and have set ourselves goals over the next 3, 5 and 10 years to meet high standards throughout our processes, operations and products to limit or mitigate our impact on the environment. These include:

### Packaging



We aim to reduce plastics from our product packaging as much as possible, including recyclable plastics, in favour of paper and cardboard

### Product



All products will be created with Long Design Life in mind, ensuring robust, long serving products including use of high quality LEDs for maximum life span

### Partnerships



Careful selection of our production partners evaluated in accordance with our guidelines and carry ISO 14001

### Net Zero



Improve the robustness of our supply chain to mitigate air carriage, maximise sea freight efficiencies and increase local production to help achieve our target of Net Zero

# CONTENTS

---

## **01 THE POWER OF LIGHTING**

- 10 Creating a lighting plan
- 12 Choosing kitchen lighting
- 14 Custom Colour
- 16 Technical Centre
- 22 The Sensio Series
- 24 Product Features Guide

## **02 FLEXIBLE LED STRIP LIGHTING**

- 28 Dart
- 30 Primo 2
- 31 Neutron
- 32 Viva 3
- 34 Sigma 2
- 36 Polar
- 38 Radiant
- NEW** 39 Razor
- 40 Ion 8
- 41 Ion 5
- 42 Polar Pro
- 43 Radiant Pro
- 44 Flux

## **03 PROFILES & INTEGRATED SOLUTIONS**

- 48 The Profile Range
- 49 Ray
- 50 Gamma
- 51 Blaze
- 52 Accent
- 53 Adapt
- 54 Glow
- 55 Vector
- 56 Adorn
- 57 Beam
- NEW** 58 Fino
- NEW** 59 Linia
- 60 Manta
- 61 Contour
- 62 Expanse Pro / Expanse
- 63 Verona
- 64 Glow Pro / Glow
- 66 Genoa
- 67 Torino

## **04 UNDER CABINET LIGHTING**

- 70 Plaza
- 71 Solo
- 72 Treos
- 73 Velos
- 74 Zeta
- 76 Ark
- 77 Bermuda
- 78 Nexus
- 79 Apex TrioTone®
- 80 Ark TrioTone®
- 81 Astro TrioTone®
- 82 Bermuda TrioTone®
- 83 Horizon TrioTone®
- 84 Hype TrioTone®
- 85 Neo TrioTone®
- 86 Nexus TrioTone®
- 87 Ark Pro
- 88 Astro Pro
- 89 Horizon Pro
- 90 Hype R Pro
- 91 Neo Pro
- 92 Axis
- 93 Connex
- 94 Connex TrioTone®
- 95 Corner Pantry Pack

## **06 PLINTH SPOTLIGHTS**

- 98 Iris
- 99 Luce TrioTone®
- NEW** 100 Halo TrioTone®
- 101 Stellar Pro

---

## **07 BATTERY, DRAWER & WARDROBE LIGHTING**

- 104 Alto
- 105 Incline
- 106 Magnum
- 107 Dura Plus
- 108 Verso
- NEW** 109 Strata

## **09 CEILING & FEATURE LIGHTING**

- 112 Bellatrix
- 113 Zirconia
- 114 Solinas
- 115 TrioTone® IP65 Fire Rated Downlight
- NEW** 116 TrioTone® Pure Dual Power Downlight
- 117 TrioTone® IP65 Cube & Circa
- NEW** 118 TrioTone® Cube & Circa Dual Power
- NEW** 119 Cara
- NEW** 119 Elena TrioTone®

## **08 SENSIPOD POP-UP SOCKETS**

- 122 Sensiopod E
- 123 Sensiopod M
- 124 Sensiopod M Bluetooth

## **10 LIGHTING CONTROL**

- 128 Titan+
- 130 Titan Dimmable
- 131 Titan Smart RGBCCT
- 132 Titan Smart Kinetic
- 133 Titan Kinetic Switch
- NEW** 133 Titan 240V Kinetic Receiver
- 134 Universal Remote Control
- 135 Receivers
- 136 Wireless PIR
- 137 Link-S Magnet & Reed Switch

## **13 PRODUCT INDEX**

## **14 FAQ**

## **15 GET IN TOUCH**

# THE POWER OF LIGHTING

Lighting can completely transform your space beyond the practical benefit it brings. It creates ambience, a brighter, more spacious and multi-dimensional feel and highlights design features.

Considering a lighting scheme at the initial design stages will influence the overall atmosphere of the interior space.





THE POWER OF LIGHTING

01



# CREATING A LIGHTING PLAN

---

Add impactful lighting to the kitchen by following our simple and stress-free tips.

## LIGHT IN LAYERS

Splitting lighting into three categories from task to mood and convenience gives you the opportunity to layer your lighting. Start with task lighting around food preparation areas, transition into convenience lighting inside cupboards or drawers and then consider how mood lighting could create an ambient atmosphere.

## FACTOR IN THE POWER


Creating multiple zones of lighting calls for power to different parts of the kitchen. It's much easier to install the wiring before the kitchen installation, so plan where wiring needs to be included so you can power the lights once installed. Think about the wall units, base units and the island unit if you want to create feature lighting under worktop edges or plinths.

## COMPLEMENT THE KITCHEN DESIGN

Is the kitchen contemporary or traditional? Rustic or modern? This may help inform the style of fitting you choose but also the colour temperature of the lights. Warm white LEDs emit a yellow glow and complement a traditional style kitchen featuring wood surfaces and muted worktops perfectly, whereas cool white LEDs are more suited to contemporary style kitchens. The white light bounces off gloss or contemporary surfaces like granite for a mesmerising finish.



We know how important it is for customers to envision how their kitchen design will look in the initial stages. To ensure the process runs as smoothly as possible, we are partnered with leading kitchen design software to bring your dream plans to life: 2020, KBB Connect, KBB Smart and Compusoft.



#### GET CREATIVE

Much more than a functional feature, lights can truly transform a space. Zoning the lights so they run from different switches really helps make the most of the space as you're in control of which lights turn on and when.

#### CONSIDER THE CONTROLS

Lighting elements can be controlled either together or separately depending on the kind of lighting you install and how the kitchen space will be used. For example, you may want all the under cabinet lighting to turn on together, you may want the kitchen cupboards to light up when the cupboard door is opened, or you may want to create a relaxing ambience with feature lighting switched on with the touch of a remote or smart phone app.

# CHOOSING KITCHEN LIGHTING

---

Kitchen lighting can be split in to three categories, with each offering its own purpose and benefits:

## 1 TASK LIGHTING


As the name suggests, task lighting is perfectly positioned to ensure the kitchen is an efficient working space for everyday tasks such as cooking. Typically, kitchen task lighting is positioned under wall units to illuminate the worktop, focusing light exactly where it is needed.

## 2 CONVENIENCE LIGHTING

Convenience lighting illuminates cupboards, wardrobes and drawers when opened for ultimate ease of use, while adding a luxurious finish to the kitchen or bedroom design.

## 3 MOOD LIGHTING

Mood lighting creates depth and dimension, which is essential for creating atmosphere within a room. If you're looking to brighten the mood of the kitchen, consider lighting along the plinth, up-lighting above wall units, lighting beneath breakfast bars or the underside of a worktop and lighting the inside of glass fronted cabinets. Mood lighting is often overlooked, but one that can have a profound impact.







# CUSTOM COLOUR

---

## THE LED COLOUR YOU CHOOSE CAN MAKE A HUGE IMPACT ON THE OVERALL LOOK


Choosing the right lighting colour will boost the aesthetics of the design by complimenting the chosen colours and materials.

Typically, LEDs are available as cool, natural or warm, and we use a measure called the Kelvin scale (K) to determine the temperature output of our lights.

Anything between 2500K and 3000K is considered warm, 3500K and 4500K is natural, while anything between 4500K and 6500K emits a cooler temperature.



Cool white LEDs are more suited to contemporary or modern styles. Cool white bounces off gloss or contemporary surfaces to create a stunning effect.



Natural white sits between warm and cool white and recreates the effect of natural daylight. Natural white's versatility means it can complement a range of styles.



Warm white LEDs emit a yellow glow (similar to that of a halogen) and perfectly complement traditional styles with features such as timber finishes and muted worktops.






## TRIO-TONE®

A Sensio trademarked concept first introduced in 2017, TrioTone® provides 3-in-1 lighting choice in one fitting. These diverse products are specifically designed to provide the option to select or change the colour temperature without having to replace the whole fitting.

Sensio TrioTone® products can be set to 3000K (warm white), 4000K (natural white) or 5000K (cool white).

TrioTone® lights feature a switch to set the colour temperature on individual fittings.




## CCT

Correlated Colour Temperature (CCT) is a concept that provides a seamless transition from warm to cool white temperatures.

CCT gives the user the power to cycle through the full spectrum of temperatures between cool, natural and warm light. This allows you to accurately mimic outside lighting conditions - a feature that has been scientifically proven to have a positive impact on our health.

CCT products allow for advanced control via our Universal Remote & CCT receiver or Titan Smart Kinetic Driver paired with the kinetic switch, Link Sensio app or smart home device




# TECHNICAL CENTRE

Some lights present different options for installation, linking together and control. These pages, alongside the detailed information around choosing the correct driver found on pages 180-181, will make the process of selecting and installing our lighting as simple as possible.

## 12-VOLT VS. 24-VOLT LIGHTING

ALL SENSIO LIGHTS ARE 24-VOLT, OFFERING A NUMBER OF BENEFITS OVER ALTERNATIVE 12-VOLT SOLUTIONS.



### LESS VOLTAGE DROP

24-Volt allows for longer runs of light with no loss of power or brightness over distance.

### STAYS COOLER


24-volt lighting dissipates less heat and stays cooler over time. This means more efficient lights which don't overheat.

### UP TO 75% MORE EFFICIENT

For a given power wattage, a 24-volt Sensio product will consume 50% less current than the 12-volt equivalent, offering up to 75% more efficiency when factoring reduced heat loss.

# POWER


## 240V PRODUCTS



240 volt products can either be plugged into a power socket or wired directly to the mains.

**PLEASE NOTE: THE MAJORITY OF 240V PRODUCTS DO NOT COME WITH A PRE-WIRED PLUG.**

## 24V PRODUCTS




24V is significantly lower than the mains electricity that comes into our homes.

Our low voltage products require an LED driver that converts the voltage from 240V to 24V.

All our 24V products are Plug & Play - this means they plug directly into the LED driver without the need for an electrician.

## WATTAGE AND LED DRIVERS



The number of lights that an LED driver can power is determined by the wattage, so it is important that the driver selected has an adequate wattage for the lights.

The appropriate LED driver can be easily found by calculating the total wattage of all lights in the run. The total wattage should not exceed the rated wattage of the LED driver.


## DAISY CHAIN PRODUCTS



To make installation as simple as possible, some of our products can be linked together in a daisy chain.


This is a great way to extend the range of an LED driver in a long run of lights. Especially when powered with a higher voltage, such as 24V.

## CONNECTORS




### 2-Pin

The most-common type of connector in the Sensio range and compatible with all drivers (with exception of the CCT Titan Smart Kinetic Driver). This type of connector is also compatible with the Single Colour Receiver.




### 6-Pin

These are found on our RGBCCT products and assist in the control of both colour temperature and RGB in compatible products.



### 4-Pin

These are found on our CCT products and are compatible with Titan Smart Kinetic Drivers and the CCT Receiver.




### Quick Connect

This port enables the driver connection cable to plug directly into the back of the lamp, simplifying installation.

## LIGHTING CONTROL


### Receivers and Remotes

Receivers and remotes allow for additional lighting control such as dimming, changing colour temperature and RGB. These can be added to most Sensio products.



### Smart Products

Smart Drivers allow Sensio 24V products to connect to smart home devices such as the Google Assistant and Amazon Alexa via the Link Sensio App, adding smart lighting control. See more on p188.



## SENSORS & SWITCHES



**Infrared (IR) sensors**  
IR sensors are used to control lighting with close-range hand gestures. Example: waving to turn your lights on/off.




**Passive infrared (PIR) sensors**  
PIR sensors are used to control lighting when somebody enters the detection range. Example: entering a room.




**Gate Sensor**  
Gate (or door) sensors are used to control lighting with the opening and closing of doors. Example: opening a cabinet or drawer.



**Push switch**  
Push switches are used to control lighting with the push of a button.



**Magnet and reed switch**  
A magnet and reed switch is used to control lighting with the opening and closing of doors. The advantage a magnet and reed switch system has over a gate sensor is that multiple switches can be set up to control the same set of lights. It is also wireless.



**Kinetic switch**  
Kinetic switches are used in conjunction with the Titan Smart Kinetic drivers to offer the freedom of wireless control. The switches require no additional power or installation and offer advanced control such as dimming and colour adjusting when configured with CCT lights. 1, 2 and 3 gang switches available.



# TECHNICAL CENTRE

With the introduction of new EU energy labels on electrical products, here's what the new labels mean for your Sensio lighting products.

## WHY HAVE A NEW EU ENERGY LABEL?

Due to the popularity of light emitting diodes, lighting has become very efficient over the past 20 years with most products on the market falling comfortably into the A to A+++ rating.

To make way for future improvements in energy saving technology, a new grading system has been implemented which simplifies the grading system as well as making it much harder for products to achieve higher ratings.


The grades now range from A to G and all products are re-classified on this new scale.

Customers can be assured they are still receiving the high quality lighting products from Sensio they did previously. However, the simplified scale now makes it easier to make an informed decision when choosing their lighting as well as allowing room on the scale for products with future advancements in energy saving technology.


Regulation: (EU) 2019/2015

## HOW THE LABELS HAVE CHANGED

Previous energy labels



New energy labels



- Seven step rating now runs from A to G
- Additional QR code links to further details on the labelling and product specification

## OUR RATED PRODUCTS

The below list of lighting products carry the required energy labels and and have the following ratings:



| PRODUCT           | LIGHTING TYPE             | TECHNOLOGY    | PAGE |
|-------------------|---------------------------|---------------|------|
| Axis              | Under Cabinet Strip Light | Single Colour | 134  |
| Bermuda           | Under Cabinet Spot Light  | Single Colour | 110  |
| Bermuda TrioTone® | Under Cabinet Spot Light  | TrioTone®     | 112  |
| Connex            | Under Cabinet Strip Light | Single Colour | 135  |
| Connex TrioTone®  | Under Cabinet Strip Light | TrioTone®     | 136  |
| Hype              | Under Cabinet Spot Light  | Single Colour | 116  |
| Hype TrioTone®    | Under Cabinet Spot Light  | TrioTone®     | 118  |
| Hype R Pro        | Under Cabinet Spot Light  | CCT           | 130  |
| Nexus             | Under Cabinet Spot Light  | Single Colour | 124  |
| Nexus TrioTone®   | Under Cabinet Spot Light  | TrioTone®     | 125  |
| Treos             | Under Cabinet Spot Light  | Single Colour | 96   |
| Zeta              | Under Cabinet Spot Light  | Single Colour | 100  |



| PRODUCT                     | LIGHTING TYPE         | TECHNOLOGY    | PAGE |
|-----------------------------|-----------------------|---------------|------|
| Bellatrix                   | Pendant Light         | Single Colour | 160  |
| Dart                        | Flexible LED Strip    | Single Colour | 34   |
| Expanse                     | In-Cabinet Back Panel | Single Colour | 86   |
| Expanse Pro                 | In-Cabinet Back Panel | CCT           | 86   |
| Ion 5                       | Flexible LED Strip    | CCT           | 50   |
| Ion 8                       | Flexible LED Strip    | CCT           | 48   |
| Neutron                     | Flexible LED Strip    | Single Colour | 38   |
| Polar                       | Flexible LED Strip    | Single Colour | 44   |
| Polar Pro                   | Flexible LED Strip    | CCT           | 52   |
| Primo 2                     | Flexible LED Strip    | Single Colour | 36   |
| Radiant                     | Flexible LED Strip    | Single Colour | 46   |
| Sigma 2                     | Flexible LED Strip    | Single Colour | 42   |
| TrioTone® IP65 FR Downlight | Ceiling Spot Light    | TrioTone®     | 166  |
| TrioTone® IP65 Cube         | Ceiling Spot Light    | TrioTone®     | 168  |
| TrioTone® IP65 Circa        | Ceiling Spot Light    | TrioTone®     | 168  |
| Viva 3                      | Flexible LED Strip    | Single Colour | 40   |
| Zirconia                    | Pendant Light         | Single Colour | 164  |



| PRODUCT         | LIGHTING TYPE            | TECHNOLOGY    | PAGE |
|-----------------|--------------------------|---------------|------|
| Arcade          | Under Cabinet Spot Light | Single Colour | 102  |
| Ark             | Under Cabinet Spot Light | Single Colour | 104  |
| Ark Pro         | Under Cabinet Spot Light | CCT           | 126  |
| Ark TrioTone®   | Under Cabinet Spot Light | TrioTone®     | 106  |
| Astro Pro       | Under Cabinet Spot Light | CCT           | 128  |
| Astro TrioTone® | Under Cabinet Spot Light | TrioTone®     | 108  |
| Flux            | Flexible LED Strip       | RGB CCT       | 54   |
| Fusion          | Under Cabinet Spot Light | Single Colour | 92   |
| Neo             | Under Cabinet Spot Light | Single Colour | 120  |
| Neo Pro         | Under Cabinet Spot Light | CCT           | 132  |
| Neo TrioTone®   | Under Cabinet Spot Light | TrioTone®     | 122  |
| Plaza           | Under Cabinet Spot Light | Single Colour | 93   |
| Solo            | Under Cabinet Spot Light | Single Colour | 94   |
| Stellar Pro     | Plinth Spot Light        | CCT           | 157  |
| Velos           | Under Cabinet Spot Light | Single Colour | 97   |

# THE SENSIO SERIES

---

## DESIGN AND INNOVATION ARE AT THE CORE OF SENSIO, STRIVING FOR SIMPLICITY WITHOUT COMPROMISE

Our Series 1 3 & 5 collections are designed to group products by features to make the lighting design process easy. Ranging from a simple all natural white set, controlled at the wall through to voice activated, custom colour solutions.

All Sensio lights feature the same quality components and designs at their core to deliver stylish and efficient products, you can trust will last a lifetime:



50,000 Hours  
Light Life

Fantastic longevity providing the equivalent life to having the lights switched on continuously for 5 hours a day, for 27 years!



High Efficiency

Not only does each light benefit from a superb lumen output, ensuring bright illumination, each light runs off 24V, making them exceptionally efficient to run and providing maximum light performance.



High Colour Accuracy

Brightness and consistency of the lights is of exceptional standard and provides a true reflection of the colour temperature.



Quality Guaranteed

Each light has been designed and manufactured to guarantee superb performance, longevity and quality and benefits from Sensio's 5 year guarantee.

---

# SERIES

SIMPLICITY

Series 1 offers a concise range of simple, high quality LED lights with no compromise on quality or efficiency whilst benefitting from excellent pricing (based on minimum order quantities).

# SERIES

CHOICE

Series 3 provides choice and customisation offered across a wide selection of products adding colour temperature options and different product finishes.

# SERIES

TECHNOLOGY

Series 5 brings advanced lighting colour technology and control options to truly bring smart connectivity to the home.

---

# PRODUCT FEATURES

---

All our products have their own unique features. To help compare and select products quickly and easily, you will find icons on each product page.

## LIGHTING



Dimmable



Correlated Colour Temperature (CCT) - see p19



TrioTone® - colour temperature selection- see p18



Full RGB CCT spectrum control



Cool white lighting



Natural white lighting



Warm white lighting

## LIFESTYLE



Integrated speakers for audio playback



Charging socket for shavers and toothbrushes



Integrated Qi charger for wireless capable devices



Integrated demister pad to clear the mirror



Bluetooth connectivity enabled



Sync with your smart home devices



Can be controlled via the 'Link Sensio' App


## STYLING




Stainless steel finish



Brushed steel finish



Copper finish




Brass finish




Matt black finish



Aluminium finish



Transparent finish



Black nickel finish



Chrome finish



White finish



Champagne finish



Opaque white finish



---

## CONNECT & CONTROL



Infra-red sensor  
- swipe activated



Touch activated



Activates on  
opening of a door  
or drawer



Push button  
activated



Rocker switch to  
control additional  
features



Simple pull cord  
activation



Wireless Kinetic



PIR sensor  
- motion activated

## INSTALLATION



Standard UK  
240V powered



Values other than  
240V indicated  
power supply  
from the product



Battery powered  
(Replacable)



Rechargeable  
battery power



Supplied cable  
length



Fire rated for  
additional safety



Product can be  
retrofitted - no  
wiring required



Bathroom zone  
suitability,  
determined by IP  
rating



Resistant to larger  
objects such as  
fingers. No water  
protection



Resists ingress  
of objects over  
1mm and water  
splashes



Resists partial  
dust ingress and  
water splashes



Dust and air  
tight. Resists low  
pressure water  
jets



Mounts by seating  
on wall brackets



Mounts to a back  
box secured to the  
wall



Simple keyhole  
mounting on  
screws



Can be installed  
in portrait or  
landscape  
orientation

## NOTES

- All products are IP20 unless stated as higher
- Always refer to the installation guides provided with all our products for more detailed information on fitting
- Whilst Sensio lights are designed to be simple plug & play systems, any mains electrical work should be carried out by a certified electrician

# FLEXIBLE LED STRIP LIGHTING



- Simple to use and can be installed almost anywhere
- Adds depth to the kitchen by illuminating above the wall units, along the plinth or under the worktop edge
- Perfect for creating ambient mood lighting
- Can be used inside profiles, which offer an alternative way to secure the strip, diffuse and angle the light





FLEXIBLE STRIP LIGHTING

02

## DART FLEXIBLE LED STRIP



- A simple, highly efficient flexible strip light with superb light output
- Available in natural white making it ideal for a range of kitchen styles
- Cut marks are indicated every 100mm to enable the strip to be cut closer to the desired length
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- 3M VHB (Very High Bond) tape underneath the strip for secure installation
- Compatible with all Sensio single-colour lighting controls
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Compatible with the Universal profile range
- Supplied in a 5m reel
- The Dart can also be purchased as a kit with a 2.5m driver connection cable, pre-wired 13A 3pin plug and LED driver



## Dart Flexible LED Strip - Natural White (4000K), 60 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   |
|-----------|---------|---------|--------|--------------|----------|
| SE10355N0 | 3.6 W/m | 24V     | 5000mm | Required     | 440 lm/m |
| SE10355N1 | 3.6 W/m | 24V     | 5000mm | 30W included | 440 lm/m |

## Cables, Connectors &amp; Accessories

| CODE     | DESCRIPTION                  |
|----------|------------------------------|
| SE101080 | 2.5m Driver Connection Cable |
| SE100050 | Interconnecting Clip         |
| SE101050 | 50mm Corner Connector        |
| SE100750 | 1.5m Interconnecting cable   |
| SE9009   | 2.5m Extension Cable         |

## PRIMO 2 FLEXIBLE LED STRIP



- A versatile and economic flexible strip ideal for kitchen or bedroom use, under cabinets, along plinths or inside cabinets or wardrobes
- The entire reel can be used with cut marks indicated every 100mm avoiding wastage
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Compatible with Sensio single-colour receivers to enable dimming functionality
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Supplied in a 5m reel



### REGISTERED DESIGN RIGHT - 6024616

#### Primo 2 LED Flexible Strip - Cool White (5000K), 60 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP    |
|-----------|---------|---------|--------|--------------|----------|--------|
| SE10755CO | 3.6 W/m | 24V     | 5000mm | Required     | 425 lm/m | £42.65 |
| SE10755C1 | 3.6 W/m | 24V     | 5000mm | 30W included | 425 lm/m | £84.18 |

#### Primo 2 LED Flexible Strip - Warm White (3000K), 60 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP    |
|-----------|---------|---------|--------|--------------|----------|--------|
| SE10755WO | 3.6 W/m | 24V     | 5000mm | Required     | 415 lm/m | £42.65 |
| SE10755W1 | 3.6 W/m | 24V     | 5000mm | 30W included | 415 lm/m | £84.18 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                  | RRP   |
|----------|------------------------------|-------|
| SE101080 | 2.5m Driver Connection Cable | £4.77 |
| SE100050 | Interconnecting Clip         | £1.68 |
| SE101050 | 50mm Corner Connector        | £2.80 |
| SE100750 | 1.5m Interconnecting cable   | £5.19 |
| SE9009   | 2.5m Extension Cable         | £3.75 |

## NEUTRON 3.5MM NANO LED FLEXIBLE STRIP



- The industry's smallest flexible strip measuring at only 3.5mm in width
- Ideal choice for kitchen designs where inconspicuous lighting is essential
- Highly compacted diodes greatly reduce the appearance of dots whilst providing a powerful light output
- Cut marks every 25mm enable the strip to be cut closer to the desired length reducing potential dark spots at each end
- Driver connection cables pre-soldered at either end of the strip
- Compatible with Sensio single-colour receiver to enable dimming functionality
- 3M VHB (Very High Bond) tape underneath the strip for secure installation
- Supplied in a 5m reel
- Compatible with the Nano-Lines and Micro-Lines profile ranges



### Neutron LED Flexible Strip - Cool White (5000K), 280 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER   | LUMENS   | RRP    |
|-----------|---------|---------|--------|----------|----------|--------|
| SE10455CO | 4.8 W/m | 24V     | 5000mm | Required | 565 lm/m | £77.70 |

### Neutron LED Flexible Strip - Natural White (4000K), 280 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER   | LUMENS   | RRP    |
|-----------|---------|---------|--------|----------|----------|--------|
| SE10425NO | 4.8 W/m | 24V     | 2000mm | Required | 560 lm/m | £36.46 |
| SE10455NO | 4.8 W/m | 24V     | 5000mm | Required | 560 lm/m | £77.70 |


### Neutron LED Flexible Strip - Warm White (3000K), 280 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER   | LUMENS   | RRP    |
|-----------|---------|---------|--------|----------|----------|--------|
| SE10455W0 | 4.8 W/m | 24V     | 5000mm | Required | 535 lm/m | £77.70 |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |






## VIVA 3 FLEXIBLE LED STRIP

- A versatile flexible strip light which can be used in multiple areas of the kitchen or bedroom including under cabinet, plinths or inside wardrobes
- Male and female ends for simple installation
- Strip can be cut once and the remaining section used with a connector clip and interconnecting lead if required
- Can be cut to length every 50mm
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP54 rated - limited ingress of dust and protected against sprays from any angle
- Supplied in a 1m, 2m or 5m reel
- Compatible with the Universal Profile range

*2.5m Driver Connection Cable (SE10314) is required to run the Viva 3 (sold separately if not bought as part of a kit)*





#### Viva3 LED Flexible Strip - Cool White (5500K), 120 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE10745CO | 3.6 W/m | 24V     | 500mm  | Required     | 470 lm/m | £7.50   |
| SE10715CO | 3.6 W/m | 24V     | 1000mm | Required     | 520 lm/m | £14.90  |
| SE10715C1 | 3.6 W/m | 24V     | 1000mm | 6W included  | 520 lm/m | £42.08  |
| SE10725CO | 3.6 W/m | 24V     | 2000mm | Required     | 520 lm/m | £24.75  |
| SE10725C1 | 3.6 W/m | 24V     | 2000mm | 15W included | 520 lm/m | £58.10  |
| SE10655CO | 3.6 W/m | 24V     | 5000mm | Required     | 520 lm/m | £58.10  |
| SE10655C1 | 3.6 W/m | 24V     | 5000mm | 30W included | 520 lm/m | £107.73 |

#### Viva3 LED Flexible Strip - Natural White (4000K), 120 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE10715N0 | 3.6 W/m | 24V     | 1000mm | Required     | 505 lm/m | £14.90  |
| SE10715N1 | 3.6 W/m | 24V     | 1000mm | 6W included  | 505 lm/m | £42.08  |
| SE10725N0 | 3.6 W/m | 24V     | 2000mm | Required     | 505 lm/m | £24.75  |
| SE10725N1 | 3.6 W/m | 24V     | 2000mm | 15W included | 505 lm/m | £58.10  |
| SE10655N0 | 3.6 W/m | 24V     | 5000mm | Required     | 505 lm/m | £58.10  |
| SE10655N1 | 3.6 W/m | 24V     | 5000mm | 30W included | 505 lm/m | £107.73 |

#### Viva3 LED Flexible Strip - Warm White (3000K), 120 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE10745W0 | 3.6 W/m | 24V     | 500mm  | Required     | 470 lm/m | £7.50   |
| SE10715W0 | 3.6 W/m | 24V     | 1000mm | Required     | 470 lm/m | £14.90  |
| SE10715W1 | 3.6 W/m | 24V     | 1000mm | 6W included  | 470 lm/m | £42.08  |
| SE10725W0 | 3.6 W/m | 24V     | 2000mm | Required     | 470 lm/m | £24.75  |
| SE10725W1 | 3.6 W/m | 24V     | 2000mm | 15W included | 470 lm/m | £58.10  |
| SE10655W0 | 3.6 W/m | 24V     | 5000mm | Required     | 470 lm/m | £58.10  |
| SE10655W1 | 3.6 W/m | 24V     | 5000mm | 30W included | 470 lm/m | £107.73 |

#### Cables, Connectors & Accessories

| CODE       | DESCRIPTION                  | RRP   |
|------------|------------------------------|-------|
| SE10314    | 2.5m Driver Connection Cable | £3.99 |
| SE10317    | 1.5m Interconnecting Lead    | £3.00 |
| SE10316    | 50mm Corner Connector        | £3.12 |
| SE10318MCC | Mini Cut Connector Clip      | £3.99 |
| SE9009     | 2.5m Extension Cable         | £3.75 |



## SIGMA 2

### BENDABLE LED FLEXIBLE STRIP



- An innovative bendable flexible strip that handles corners with ease
- A unique PCB board cut in a 'zig-zag' shape provides superb flexibility allowing you to bend the light around a corner
- Can be bent around 90 degree corners without the need for corner cables or starting a new run of strip
- The entire reel can be used with cut marks indicated every 50mm avoiding wastage
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Compatible with Sensio single-colour receiver to enable dimming functionality
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Supplied in a 5m reel



*2.5m Driver Connection Cable (SE970850) is required to run the Sigma 2 (sold separately)*

**REGISTERED DESIGN RIGHT - 6024618**



Sigma2 LED Flexible Strip - **Cool White (5000K), 120 LED/m**

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP    |
|-----------|---------|---------|--------|--------------|----------|--------|
| SE10855C0 | 4.8 W/m | 24V     | 5000mm | Required     | 570 lm/m | £44.85 |
| SE10855C1 | 4.8 W/m | 24V     | 5000mm | 30W included | 570 lm/m | £86.39 |

Sigma2 LED Flexible Strip - **Natural White (4000K), 120 LED/m**

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP    |
|-----------|---------|---------|--------|--------------|----------|--------|
| SE10855N0 | 4.8 W/m | 24V     | 5000mm | Required     | 575 lm/m | £44.85 |
| SE10855N1 | 4.8 W/m | 24V     | 5000mm | 30W included | 575 lm/m | £86.39 |

Sigma2 LED Flexible Strip - **Warm White (3000K), 120 LED/m**

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP    |
|-----------|---------|---------|--------|--------------|----------|--------|
| SE10855W0 | 4.8 W/m | 24V     | 5000mm | Required     | 530 lm/m | £44.85 |
| SE10855W1 | 4.8 W/m | 24V     | 5000mm | 30W included | 530 lm/m | £86.39 |

Cables, Connectors & Accessories

| CODE     | DESCRIPTION                 | RRP   |
|----------|-----------------------------|-------|
| SE970750 | 1.5m Interconnecting cable  | £5.46 |
| SE970850 | 2.5m Driver Connection Lead | £5.93 |
| SE970950 | Joining Clip                | £1.87 |
| SE9009   | 2.5m Extension Cable        | £3.75 |

## POLAR COB FLEXIBLE LED STRIP

- Provides a completely diffused line of light with no visible LED dots eliminating the need for a profile or cover
- Chip on Board (COB) technology provides superior light output
- Excellent thermal conduction resulting in a cool running strip
- 24V allows long runs of light without any light fade
- Compatible with Sensio single-colour receiver to enable dimming functionality
- Supplied with pre-soldered, 1.5m driver connection cables with 2-pin connectors at each end of the strip
- Can be cut to length (every 31mm) and the whole reel can be utilised with the Polar Joining Clips (sold separately)
- Supplied in a 5m reel
- VHB (Very High Bond) adhesive tape backing for secure installation
- Compatible with the Universal Profile range







Polar COB LED Flexible Strip - Cool White (6000K), 512 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE20055CO | 6 W/m   | 24V     | 5000mm | Required     | 600 lm/m | £123.76 |
| SE20055C1 | 6 W/m   | 24V     | 5000mm | 30W included | 600 lm/m | £142.69 |

Polar COB LED Flexible Strip - Natural White (4000K), 512 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE20125N0 | 6 W/m   | 24V     | 2000mm | Required     | 600 lm/m | £46.78  |
| SE20125N1 | 6 W/m   | 24V     | 2000mm | 15W Included | 600 lm/m | £77.72  |
| SE20055N0 | 6 W/m   | 24V     | 5000mm | Required     | 600 lm/m | £114.48 |
| SE20055N1 | 6 W/m   | 24V     | 5000mm | 30W included | 600 lm/m | £142.69 |

Polar COB LED Flexible Strip - Warm White (3000K), 512 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE20055W0 | 6 W/m   | 24V     | 5000mm | Required     | 580 lm/m | £114.48 |
| SE20055W1 | 6 W/m   | 24V     | 5000mm | 30W included | 580 lm/m | £142.69 |


Cables, Connectors & Accessories

| CODE     | DESCRIPTION                       | RRP   |
|----------|-----------------------------------|-------|
| SE112940 | Polar Transparent Joining Clip    | £3.22 |
| SE112990 | Polar Joining Clip                | £2.83 |
| SE105790 | 1.5m Polar Interconnecting Lead   | £2.57 |
| SE105990 | 50mm Polar Corner Connector       | £1.95 |
| SE103990 | 2.5m Polar Driver Connection Lead | £3.84 |
| SE9009   | 2.5m Extension Cable              | £3.75 |



## RADIANT DIFFUSED FLEXIBLE LED STRIP

- An entirely diffused, bendable, silicone flexible strip light ideal for application across the kitchen or bedroom
- Discreet, slimline 4mm width
- Driver connection cables pre-soldered at either end of the strip so two lengths can be used from the same reel if required
- Cut marks are indicated every 50mm on the back of the strip
- Ideal for a flush, recessed finish with a simple push-fit application
- Can be surface mounted with the use of the mounting brackets
- Supplied end caps provide a clean and IP rated finish to cut ends
- Able to navigate around curves on island units and cabinetry
- Compatible with Sensio dimmable receivers



### Radiant LED Flexible Strip - Cool White (5500K), 160 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE10555CO | 4.8 W/m | 24V     | 5000mm | Required     | 305 lm/m | £92.82  |
| SE10555C1 | 4.8 W/m | 24V     | 5000mm | 30W included | 305 lm/m | £129.65 |

### Radiant LED Flexible Strip - Natural White (4000K), 160 LED/m

| CODE       | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|------------|---------|---------|--------|--------------|----------|---------|
| SE10795NO  | 4.8 W/m | 24V     | 1800mm | Required     | 293 lm/m | £42.07  |
| SE10595NO  | 4.8 W/m | 24V     | 1950mm | Required     | 293 lm/m | £43.32  |
| SE10695NO  | 4.8 W/m | 24V     | 2150mm | Required     | 293 lm/m | £44.58  |
| SE105105NO | 4.8 W/m | 24V     | 3000mm | Required     | 293 lm/m | £66.52  |
| SE105105N1 | 4.8 W/m | 24V     | 3000mm | 30W included | 293 lm/m | £103.35 |
| SE10555NO  | 4.8 W/m | 24V     | 5000mm | Required     | 293 lm/m | £92.82  |
| SE10555N1  | 4.8 W/m | 24V     | 5000mm | 30W included | 293 lm/m | £129.65 |

### Radiant LED Flexible Strip - Warm White (3000K), 160 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS   | RRP     |
|-----------|---------|---------|--------|--------------|----------|---------|
| SE10555W0 | 4.8 W/m | 24V     | 5000mm | Required     | 285 lm/m | £92.82  |
| SE10555W1 | 4.8 W/m | 24V     | 5000mm | 30W included | 285 lm/m | £129.65 |



Clear Mounting Bracket (included)

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                 | RRP   |
|----------|-----------------------------|-------|
| SE900940 | Pack of 5 Mounting Brackets | £0.96 |





## RAZOR

### DIFFUSED EDGE-LIT RECESSABLE LED STRIP



- A super-slim evolution of our fully diffused Polar COB strip.
- Thin 2mm depth creates a discreet appearance while providing superb light output
- Narrow channel for routed installation can easily be made with a simple saw cut
- Excellent thermal conduction resulting in a cool running strip
- 24V allows long runs of light without any light fade
- Supplied with pre-soldered, driver connection cables at both ends
- Can be cut to length (at 31mm intervals) with both ends of the strip being utilised
- Supplied with VHB tape pre-applied



#### Razor Edge Lit - Natural White

| CODE      | VHB TAPE | WATTAGE | VOLTAGE | LENGTH | DRIVER   | LUMENS | RRP     |
|-----------|----------|---------|---------|--------|----------|--------|---------|
| SE20095N0 | Yes      | 4.8 W/m | 24V     | 5000mm | Required | lm/m   | £114.48 |
| SE20099N0 | Yes      | 4.8 W/m | 24V     | 3000mm | Required | lm/m   | £54.35  |

#### Razor Edge Lit - Warm White

| CODE      | VHB TAPE | WATTAGE | VOLTAGE | LENGTH | DRIVER   | LUMENS | RRP     |
|-----------|----------|---------|---------|--------|----------|--------|---------|
| SE20095W0 | Yes      | 4.8 W/m | 24V     | 5000mm | Required | lm/m   | £114.48 |
| SE20099W0 | Yes      | 4.8 W/m | 24V     | 3000mm | Required | lm/m   | £54.35  |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION  | RRP   |
|----------|--|-------|
| SE900950 | Razor Edge Left-Side 2500mm Driver Connection Cable  | £5.16 |
| SE900960 | Razor Edge Right-Side 2500mm Driver Connection Cable | £5.16 |
| SE901950 | Razor Edge 50mm Corner Connector                     | £3.28 |
| SE902950 | Razor Edge 1500mm Inter Connecting Cable             | £3.97 |
| SE903950 | Razor Edge Joining Clip                              | £2.23 |



## ION 8 CCT FLEXIBLE LED STRIP



- Over four times the number of LEDs per metre than its predecessor, Ion 8 greatly reduces the appearance of visible LEDs providing a premium light output
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Can be cut to length (every 50mm) and the whole reel can be utilised with the Ion Joining Clips (sold separately)
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel
- Compatible with the Universal Profile range



*2.5m driver connection cable required to run the Ion 8 (sold separately unless part of a kit)*

### Ion 8 CCT LED Flexible Strip - (2700K-6000K), 252 LED/m

| CODE       | WATTAGE | VOLTAGE | LENGTH | DRIVER        | LUMENS   | RRP     |
|------------|---------|---------|--------|---------------|----------|---------|
| SE10855PO  | 6 W/m   | 24V     | 5000mm | Required      | 605 lm/m | £94.63  |
| SE10855PS1 | 6 W/m   | 24V     | 5000mm | *Smart Kit    | 605 lm/m | £141.05 |
| SE10855P1  | 6 W/m   | 24V     | 5000mm | ** Remote Kit | 605 lm/m | £194.24 |

\*Smart Kit - Includes 30W Titan Smart & 2.5m driver connection cable

\*\* Remote Kit - Includes 30W Titan Driver, CCT Receiver, Remote Control & 2.5m driver connection cable

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                        | RRP    |
|----------|------------------------------------|--------|
| SE111990 | Ion 8 Joining Clip                 | £2.33  |
| SE106990 | 50mm Ion 8 Corner Connector        | £4.67  |
| SE106790 | 1.5m Ion 8 Interconnecting Lead    | £6.63  |
| SE113990 | 2.5m Ion 8 Driver Connection Cable | £7.02  |
| SE770390 | Universal Remote Control           | £40.48 |
| SE771990 | CCT Receiver                       | £35.24 |
| SE90010  | 2.5m CCT Extension Lead            | £5.20  |



## ION 5 CCT FLEXIBLE LED STRIP



- Cousin to the wider Ion 8, Ion 5 benefits from a slimmer width at just 5mm
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Supplied with pre-soldered, 1.5m driver connection cables with a 4-pin connector at each end of the strip.
- Can be cut to length (at 50mm intervals) with both ends of the strip being utilised
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel
- Compatible with both the Universal and Micro-Lines Profile ranges



### Ion 5 CCT LED Flexible Strip - (2700K-6000K), 252 LED/m

| CODE       | WATTAGE | VOLTAGE | LENGTH | DRIVER        | LUMENS   | RRP     |
|------------|---------|---------|--------|---------------|----------|---------|
| SE10755PO  | 6 W/m   | 24V     | 5000mm | Required      | 600 lm/m | £92.81  |
| SE10755PS1 | 6 W/m   | 24V     | 5000mm | *Smart Kit    | 600 lm/m | £157.69 |
| SE10755P1  | 6 W/m   | 24V     | 5000mm | ** Remote Kit | 600 lm/m | £211.27 |

\*Smart Kit - Includes 30W Titan Smart

\*\* Remote Kit - Includes 30W Titan Driver, CCT Receiver & Remote Control

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION              | RRP    |
|----------|--------------------------|--------|
| SE770390 | Universal Remote Control | £40.48 |
| SE771990 | CCT Receiver             | £35.24 |
| SE90010  | 2.5m CCT Extension Lead  | £5.20  |



## POLAR PRO CCT COB LED FLEXIBLE STRIP



- A superior, colour temperature changing, flexible strip
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Chip on Board (COB) technology provides superior light output
- Excellent thermal conduction resulting in a cool running strip
- 24V allows long runs of light without any light fade
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- Supplied with pre-soldered, 2.5m driver connection cables with 4-pin connectors at each end of the strip
- Can be cut to length (at 31mm intervals) with both ends of the strip being utilised
- VHB (Very High Bond) adhesive tape backing for secure installation
- Compatible with the Universal Profile range



Polar Pro CCT COB LED Flexible Strip - (2700K-6000K), 512 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER   | LUMENS   | RRP     |
|-----------|---------|---------|--------|----------|----------|---------|
| SE20055P0 | 6 W/m   | 24V     | 5000mm | Required | 600 lm/m | £138.50 |

Cables, Connectors & Accessories

| CODE     | DESCRIPTION                 | RRP    |
|----------|-----------------------------|--------|
| SE770390 | Universal Remote Control    | £40.48 |
| SE771990 | CCT Receiver                | £35.24 |
| SE900890 | 2.5m Driver Connection Lead | £5.38  |
| SE901790 | 1.5m Interconnecting Lead   | £4.25  |
| SE902990 | 50mm Corner Connector       | £3.41  |
| SE903990 | Joining Clip                | £2.70  |
| SE90010  | 2.5m CCT Extension Lead     | £5.20  |



## RADIANT PRO CCT DIFFUSED FLEXIBLE LED STRIP



- A diffused, colour temperature changing and bendable, silicone flexible strip light ideal for application across the kitchen or bedroom
- No visible LED dots
- Discreet, slimline 4mm width
- Driver connection cables pre-soldered at either end of the strip so two lengths can be used from the same reel if required
- Cut marks are indicated every 50mm on the back of the strip
- Ideal for a flush, recessed finish with a simple push-fit application
- Can be surface mounted with the use of the mounting brackets. (6 supplied with 3000mm and 10 supplied with 5000mm reels)
- Supplied end caps provide a clean and IP rated finish to cut ends
- Able to navigate around curves on island units and cabinetry
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- Supplied in a 5m reel (and 3m reel - natural white only)



### Radiant Pro LED Flexible Strip - (2700K-6000K), 160 LED/m

| CODE      | WATTAGE | VOLTAGE | LENGTH | DRIVER   | LUMENS   | RRP     |
|-----------|---------|---------|--------|----------|----------|---------|
| SE10555PO | 4.8 W/m | 24V     | 5000mm | Required | 285 lm/m | £127.68 |

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                 | RRP   |
|----------|-----------------------------|-------|
| SE900940 | Pack of 5 Mounting Brackets | £0.96 |
| SE90010  | 2.5m CCT Extension Lead     | £5.20 |





## FLUX RGCCT LED FLEXIBLE STRIP



- A fully customisable, flexible strip light to suit any style, mood or atmosphere
- A combination of RGB and CCT provides the ultimate colour changing solution enabling colours to be mixed and matched to create millions of combinations
- Features 24 pre-set RGB colours and 11 shades of white (CCT)
- Colours can be set individually or RGB colours can be mixed with the CCT colours to create a multitude of different shades
- Each colour can also be dimmed to achieve further customisation
- A high number of LEDs per metre significantly reduces the appearance of individual LEDs
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan RGCCT Smart Driver to control, zone and dim the lights\*
- Cut marks are indicated every 142.5mm on the back of the strip
- VHB (Very High Bond) adhesive tape backing for secure installation
- 5m reel supplied with driver lead attached to both ends (2m reel with lead at one end only)
- Compatible with the Universal Profile range



Set to one of multiple colour options with a full range of RGB and cool to warm white

*\*optimum colour choice and control is achieved using the RGCCT Receiver and Universal Remote Control*



Flux RGB CCT LED Flexible Strip - (2700K-6000K + RGB), 245 LED/m

| CODE       | WATTAGE | VOLTAGE | LENGTH | DRIVER       | LUMENS (RGB) | LUMENS (CCT) | RRP     |
|------------|---------|---------|--------|--------------|--------------|--------------|---------|
| SE10625R0  | 6 W/m   | 24V     | 2000mm | Required     | 220 lm/m     | 340 lm/m     | £49.51  |
| SE106105R0 | 6 W/m   | 24V     | 3000mm | Required     | 220 lm/m     | 340 lm/m     | £72.80  |
| SE10655R0  | 6 W/m   | 24V     | 5000mm | Required     | 220 lm/m     | 340 lm/m     | £123.75 |
| SE10655R1* | 6 W/m   | 24V     | 5000mm | 30W included | 220 lm/m     | 340 lm/m     | £194.75 |

\*Kit includes Flux Flexible Strip, RGB CCT Receiver, Universal Remote Control & 30W Driver

Cables, Connectors & Accessories

| CODE     | DESCRIPTION              | RRP    |
|----------|--------------------------|--------|
| SE770390 | Universal Remote Control | £40.48 |
| SE770990 | RGB CCT Receiver         | £41.64 |
| SE405595 | RGB CCT Smart Driver     | £62.01 |
| SE991990 | RGB CCT Port Expander    | £6.62  |

— CCT Mode —



— RGB Mode —





# PROFILES & INTEGRATED SOLUTIONS



- Profiles coupled with flexible strips offer a non-intrusive way of lighting the kitchen while enhancing the overall design
- Perfect for creating a flush, sleek look
- Creates fully diffused expanses of light without visible light diodes
- Simple to use and install, the versatility of flexible strip lighting makes it suited to a range of applications across the kitchen and using one of our Profiles increases the possibilities even further.



INTEGRATED  
SOLUTIONS & PROFILES

03



# THERE ARE THREE FAMILIES OF PROFILES IN THE RANGE:

## NANO
















Blaze, Gamma & Ray (to fit 3.5mm flexible strips)

## MICRO

Vector, Accent, Adapt & Glow (to fit 5mm flexible strips)


## UNIVERSAL

Adorn, Contour, Linia, Fino & Beam (to fit all flexible strips up to 10mm)

|   | PROFILE | STYLE      | TYPE               | APPLICATION                                    | COMPATIBLE FLEX STRIPS              |
|---|---------|------------|--------------------|--|-------------------------------------|
|    | Ray     | Nano       | Angled             | Wardrobe / cupboard / under cabinet / shelving | Neutron                             |
|   | Gamma   | Nano       | Surface mounted    | Under cabinet / in-cabinet / under shelving    | Neutron                             |
|  | Blaze   | Nano       | Recessed           | Under cabinet / in-cabinet / under shelving    | Neutron                             |
|  | Accent  | Micro      | Plinth             | Plinth   | Ion 5 or Neutron                    |
|  | Adapt   | Micro      | Corner             | Under cabinet / drawer / in-cabinet            | Ion 5 or Neutron                    |
|  | Glow    | Micro      | Shelf clip         | Internal glass shelf                           | Ion5 or Neutron                     |
|  | Vector  | Micro      | Slim               | Handleless channel / under worktop             | Ion 5 or Neutron                    |
|  | Adorn   | Universal  | Shelf clip         | Solid internal shelf                           | Compatible with all flexible strips |
|  | Beam    | Universal  | Corner             | Under cabinet / in-cabinet / wardrobe          | Compatible with all flexible strips |
|  | Fino    | Universal  | Surface mounted    | Under cabinet / in-cabinet / wardrobe          | Compatible with all flexible strips |
|  | Linia   | Universal  | Recessed           | Under cabinet / in-cabinet / wardrobe          | Compatible with all flexible strips |
|  | Contour | Universal  | Handleless         | Handleless channel / under worktop             | Compatible with all flexible strips |
|  | Manta   | Integrated | Handleless         | Cabinet base / front of shelf                  | Pre-installed LED strip             |
|  | Verona  | Integrated | Cabinet Base panel | Under cabinet and in-cabinet                   | -                                   |
|  | Expanse | Integrated | Cabinet Back panel | In-cabinet                                     | -                                   |



## RAY ANGLED PROFILE



- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- Fully diffused, angled light source - prevents glare and ideal for wardrobes where the light needs to be focussed
- Suitable for a range of applications in the kitchen and bedroom including wardrobes and cupboards
- The flexible strip mounting platform inside the profile is angled to enable the flexible strip to extend around corners when paired with the Ray corner connectors
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Supplied with pre-applied VHB tape for simple "peel and stick" installation
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)

*Compatible with Neutron Flexible Strip*



### REGISTERED DESIGN RIGHT - 6077026

#### Ray - Angled Profile

| CODE     | DESCRIPTION              | LENGTH | RRP    |
|----------|--------------------------|--------|--------|
| SE184720 | Profile & End Caps (L&R) | 1500mm | £15.02 |
| SE184820 | Profile & End Caps (L&R) | 2500mm | £25.04 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                   | RRP   |
|----------|-------------------------------|-------|
| SE992950 | Ray Internal Corner Connector | £5.27 |
| SE991950 | Ray External Corner Connector | £5.27 |
| SE990950 | Ray End Cap Kit (L&R)         | £1.22 |
| SE911950 | Ray Mounting Brackets (x2)    | £1.22 |



SE992950  
Internal Corner  
Connector



SE991950  
External Corner  
Connector



SE990950  
End Cap Kit



SE911950  
Mounting Brackets



# GAMMA

## SLIM SURFACE MOUNTED PROFILE



- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- An incredibly thin profile that produces an even spread of light with no visible LED points from the flexible strip
- Perfect for use under cabinets, in larders or wardrobes
- Features an internal angled flexible strip mounting platform enabling the strip to extend around corners when paired with the corner connectors resulting in a fully illuminated light circuit with no dark corners
- Simple push-fit installation with brackets
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)
- 1.5m length supplied with 2 mounting brackets and 2.5m length supplied with 4 mounting brackets (additional mounting brackets sold separately)

*Compatible with Neutron Flexible Strip*



### REGISTERED DESIGN RIGHT - 6077037

#### Gamma - Slim Surface Mounted Profile

| CODE     | DESCRIPTION                                | LENGTH | RRP    |
|----------|--|--------|--------|
| SE183720 | Profile, Mounting Bracket & End Caps (L&R) | 1500mm | £15.29 |
| SE183820 | Profile, Mounting Bracket & End Caps (L&R) | 2500mm | £25.04 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                     | RRP   |
|----------|---------------------------------|-------|
| SE989950 | Gamma Internal Corner Connector | £5.27 |
| SE988950 | Gamma External Corner Connector | £5.27 |
| SE987950 | Gamma End Cap Kit (L&R)         | £1.22 |
| SE910950 | Gamma Mounting Brackets (x2)    | £1.22 |



SE910950  
Mounting Brackets



SE989950  
Internal Corner  
Connector




SE988950  
External Corner  
Connector



SE987950  
End Cap Kit





# BLAZE

## SLIM RECESSED PROFILE

*Compatible with Neutron Flexible Strip*

- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- An incredibly thin, diffused profile that produces an even spread of light with no visible LED points from the flexible strip
- Suitable for a range of applications in the kitchen and bedroom including wardrobes and cupboards
- The flexible strip mounting platform is angled to enable the flexible strip to extend round corners when paired with the Blaze corner connectors
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Simple push-fit installation
- Wide wings cover any router imperfections
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)



### REGISTERED DESIGN RIGHT - 6077034

#### Blaze - Slim Recessed Profile

| CODE     | DESCRIPTION              | LENGTH | RRP    |
|----------|--------------------------|--------|--------|
| SE182720 | Profile & End Caps (L&R) | 1500mm | £15.27 |
| SE182820 | Profile & End Caps (L&R) | 2500mm | £25.48 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                     | RRP   |
|----------|---------------------------------|-------|
| SE986950 | Blaze Internal Corner Connector | £5.27 |
| SE985950 | Blaze External Corner Connector | £5.27 |
| SE984950 | Blaze End Cap Kit (L&R)         | £1.30 |



SE986950  
Internal Corner  
Connector



SE985950  
External Corner  
Connector



SE984950  
End Cap Kit



## ACCENT PLINTH PROFILE

Compatible with the Ion 5 or Neutron  
Flexible Strip

- Designed for mounting flexible strip lighting along plinth boards
- Features an internal angled flexible strip mounting platform enabling the strip to extend around corners when paired with the corner connectors resulting in a fully illuminated light circuit with no dark corners
- The angled flexible strip mounting platform ensures the diffusion of individual LED points, as well being removable for ease of installation and serviceability
- Part of the Micro-Lines range exclusively designed for flexible strips 5mm in width or below
- Fits 16-18mm plinth boards
- Can be cut to size
- Supplied with 2 end caps (additional end caps sold separately)



### REGISTERED DESIGN RIGHT - 6077029

#### Accent - Plinth Profile

| CODE     | DESCRIPTION                                | LENGTH | RRP    |
|----------|--|--------|--------|
| SE185700 | Profile, Mounting Bracket & End Caps (L&R) | 1500mm | £22.76 |
| SE185800 | Profile, Mounting Bracket & End Caps (L&R) | 2500mm | £37.71 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                      | RRP   |
|----------|----------------------------------|-------|
| SE995950 | Accent Internal Corner Connector | £5.27 |
| SE994950 | Accent External Corner Connector | £5.27 |
| SE996950 | *Accent Installation Aid         | £1.14 |
| SE993950 | Accent End Caps                  | £1.22 |

\*The Accent installation aid is required to apply the profile around a corner.  
(sold separately)







## ADAPT CORNER & DRAWER PROFILE

Compatible with the Ion 5 or Neutron  
Flexible Strip

- A corner profile perfect for installation under cabinets, shelves or inside larder units or drawers
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Features an innovative living hinge allowing the two parts of the profile to stay attached when the flexible strip is installed and making it simple to clip the two sections back together
- Fully diffused resulting in an even spread of light with no visible LED points from the flexible strip
- Can be cut to size
- Supplied with 2 end caps (additional end caps sold separately)
- 1500mm supplied with 2x mounting brackets and 2500mm supplied with 4 mounting brackets
- Drawer mounting brackets sold separately



### REGISTERED DESIGN RIGHT - 6077033

#### Adapt - Corner & Drawer Profile

| CODE     | DESCRIPTION                                | LENGTH | RRP    |
|----------|--|--------|--------|
| SE186790 | Profile, Mounting Bracket & End Caps (L&R) | 1500mm | £23.70 |
| SE186890 | Profile, Mounting Bracket & End Caps (L&R) | 2500mm | £40.62 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                    | RRP   |
|----------|--------------------------------|-------|
| SE997950 | Adapt Mounting Brackets        | £5.27 |
| SE999950 | Adapt End Caps (L&R)           | £5.27 |
| SE998950 | Adapt Drawer Mounting Brackets | £3.54 |



SE999950  
End Caps (L&R)



SE997950  
Mounting Brackets



SE998950  
Drawer Mounting Brackets



## GLOW GLASS SHELF CLIP PROFILE



Compatible with the Ion 5 or  
Neutron Flexible Strip

- An inconspicuous solution to transform the appearance and functionality of feature cabinets as well as practical convenience lighting to locate items in a cupboards
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Emits relaxing mood lighting that flows out into the kitchen when used on glass feature shelves
- Features an innovative living hinge allowing the two parts of the profile to stay attached when the flexible strip is installed and making it simple to clip the two sections back together
- Can be cut to size
- Fits 4-8mm glass shelves
- Attaches to the back of the shelf with a simple push-fit



### REGISTERED DESIGN RIGHT - 6077032


#### Glow - Glass Shelf Clip Profile

| CODE     | DESCRIPTION        | LENGTH | RRP    |
|----------|--------------------|--------|--------|
| SE190790 | Shelf Clip Profile | 1000mm | £13.15 |



# VECTOR

## SLIM HANDLELESS PROFILE



- The ideal lighting solution for contemporary handleless kitchens
- Subtle and unobtrusive whilst emitting a powerful source of mood lighting
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Provides protection of the flexible strip light when hands go to open drawers and cupboards
- Features an angled light source that guarantees the diffusion of individual LED points
- Removable strip mounting plate for ease of installation and serviceability
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Can be cut to size
- Attaches inside the handlesless channel with VHB tape

Compatible with the Ion 5 or  
Neutron Flexible Strip



SE982950  
Internal Corner  
Connector

SE981950  
External Corner  
Connector

### REGISTERED DESIGN RIGHT - 6077023

#### Vector - Slim Handleless Profile

| CODE     | DESCRIPTION              | LENGTH | RRP    |
|----------|--------------------------|--------|--------|
| SE181700 | Profile & End Caps (L&R) | 1500mm | £19.22 |
| SE181800 | Profile & End Caps (L&R) | 2500mm | £29.09 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                      | RRP   |
|----------|----------------------------------|-------|
| SE982950 | Vector Internal Corner Connector | £5.27 |
| SE981950 | Vector External Corner Connector | £5.27 |
| SE983950 | *Vector Installation Aid         | £1.14 |
| SE993950 | Vector End Caps                  | £1.22 |



SE983950  
Installation Aid

SE993950  
End Caps

\*The Vector installation aid is required to apply the profile around a corner. (sold separately)



## ADORN WOOD SHELF CLIP PROFILE



- A discreet profile that clips on to the back of an internal cupboard shelf
- Features upwards and downwards facing light sources to illuminate the cupboard
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Features a U-shaped channel that clips around wooden shelves
- Fits 18mm wooden shelves
- Can be cut to size
- Attaches to the shelf with a simple push-fit

*Compatible with all flexible strips*



**REGISTERED DESIGN RIGHT - 6077040**

### Adorn - Wood Shelf Clip Profile

| CODE     | DESCRIPTION        | LENGTH | RRP    |
|----------|--------------------|--------|--------|
| SE190720 | Shelf Clip Profile | 1000mm | £23.47 |



## BEAM ANGLED PROFILE

- Angled profile ideal for illuminating cupboards or larders providing an even spread of diffused light
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Light grey finished end caps
- Supplied with one cut out end cap to feed cables through and one with no cut-out for a neat finish
- Opal PC cover to diffuse the LED points
- Mounting brackets and end caps supplied with each profile (2 brackets with 1000mm & 4 with 2200mm)
- Additional mounting brackets and end caps sold separately

*Compatible with all flexible strips*



### Beam - Angled Profile

| CODE     | DESCRIPTION                                | LENGTH | RRP    |
|----------|--|--------|--------|
| SE982120 | Profile, Mounting Bracket & End Caps (L&R) | 1000mm | £10.57 |
| SE982220 | Profile, Mounting Bracket & End Caps (L&R) | 2200mm | £21.87 |
| SE982320 | Profile, Mounting Bracket & End Caps (L&R) | 2500mm | £22.93 |

### Cables, Connectors & Accessories

| CODE       | DESCRIPTION               | RRP   |
|------------|---------------------------|-------|
| SE983050.1 | Beam End Cap Set          | £1.26 |
| SE984050.1 | Beam Mounting Bracket Set | £1.26 |



SE983050.1  
End Cap Set




SE984050.1  
Mounting Bracket  
Set






## FINO SURFACE MOUNTED PROFILE



- Perfect for use inside cabinets, larders or wardrobes
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Opal PC cover to diffuse the LED points
- Simple surface mounted application
- Mounting brackets and end caps supplied with each profile (2 brackets with the 1000mm and 4 with the 2000mm)
- Additional mounting brackets and end caps sold separately
- Available in both an aluminium and a black finish

*Compatible with all flexible strips*



### Fino - Surface Mounted Profile

| CODE     | DESCRIPTION   | LENGTH | RRP    |
|----------|---|--------|--------|
| SE981120 | Aluminium Profile, Mounting Brackets & End Caps (L&R) | 1000mm | £10.43 |
| SE981180 | Black Profile, Mounting Brackets & End Caps (L&R)     | 1000mm | £15.51 |
| SE981220 | Aluminium Profile, Mounting Brackets & End Caps (L&R) | 2000mm | £21.58 |
| SE981280 | Black Profile, Mounting Brackets & End Caps (L&R)     | 2000mm | £31.77 |
| SE981320 | Aluminium Profile, Mounting Brackets & End Caps (L&R) | 2500mm | £32.66 |
| SE981380 | Black Profile, Mounting Brackets & End Caps (L&R)     | 2500mm | £23.65 |

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                | RRP   |
|----------|----------------------------|-------|
| SE982050 | Fino Aluminium End Cap Set | £1.11 |
| SE982080 | Fino Black End Cap Set     | £1.14 |
| SE981050 | Fino Mounting Bracket Set  | £1.22 |



SE982050  
Aluminium  
End Cap Set



SE982080  
Black  
End Cap Set



SE981050  
Mounting Bracket  
Set





## LINIA RECESSED PROFILE



- Perfect for use inside cabinets, larders or wardrobes providing a flush fit for a minimalist finish
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- End caps protrude to fill the gap in furniture when cut with a router for neat finish
- Small wings cover any imperfections in the routed edge
- Supplied with end caps (2 with the 1000mm, 4 with the 2200mm. Additional end caps sold separately)
- Can be cut to size
- Available in both aluminium and black finishes

*Compatible with all flexible strips*



### Linia - Recessed Profile

| CODE     | DESCRIPTION                | FINISH    | LENGTH | RRP    |
|----------|----------------------------|-----------|--------|--------|
| SE980120 | Profile & End Caps (L&R)   | Aluminium | 1000mm | £10.13 |
| SE980220 | Profile & End Caps (L&R)   | Aluminium | 2200mm | £21.80 |
| SE980380 | Profile & 4 End Caps (L&R) | Aluminium | 2500mm | £23.83 |
| SE980180 | Profile & End Caps (L&R)   | Black     | 1000mm | £15.19 |
| SE980280 | Profile & End Caps (L&R)   | Black     | 2200mm | £33.15 |
| SE980320 | Profile & 4 End Caps (L&R) | Black     | 2500mm | £32.84 |

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION              | RRP   |
|----------|--------------------------|-------|
| SE980920 | Linia Silver End Cap Set | £1.11 |
| SE980980 | Linia Black End Cap Set  | £1.14 |



SE980920  
Silver End Caps  
(L&R)



SE980980  
Black End Caps  
(L&R)




# MANTA

## INTEGRATED HANDLELESS PROFILE




- A truly integrated lighting profile for handleless kitchens, lighting both through the top and bottom of the profile
- Pre-fitted cool white flexible strip
- Installed on the front edge of the internal cupboard base shelf/panel or in the handleless channel to illuminate both inside the cupboard and down to the worktop
- Diffused cover ensures an even spread of light and no visible LED points
- Compatible with with Sensio single-colour receiver to enable dimming functionality
- Available in 8 lengths



Manta - Integrated Handleless profile - Cool White (4500K)

| CODE      | WATTAGE | VOLTAGE | LENGTH | QTY | LUMENS  | DRIVER   | RRP    |
|-----------|---------|---------|--------|-----|---------|----------|--------|
| SE27012CO | 6.4 W   | 24V     | 361mm  | 1   | 503 lm  | Required | £34.12 |
| SE27112CO |         | 24V     | 361mm  | 1   | 503 lm  | Required | £36.91 |
| SE27412CO | 14.3 W  | 24V     | 761mm  | 1   | 1070 lm | Required | £55.34 |
| SE27512CO | 15.4 W  | 24V     | 861mm  | 1   | 1225 lm | Required | £59.99 |
| SE27712CO | 21.1 W  | 24V     | 1161mm | 1   | 1606 lm | Required | £77.49 |



## CONTOUR UNDER WORKTOP HANDLELESS PROFILE

- Designed to sit just below the lip of the worktop to illuminate the handleless channel
- Provides protection of the flexible strip light when hands go to open drawers and cupboards
- Produces an even spread of light with no visible LED points from the flexible strip
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Supplied with 2 end caps (additional end caps sold separately)
- Corner connectors sold separately

*Compatible with all flexible strips*



**REGISTERED DESIGN RIGHT - 6037414**

### Contour - Under Worktop Handleless Profile

| CODE    | DESCRIPTION              | LENGTH | RRP    |
|---------|--------------------------|--------|--------|
| SE98210 | Profile & End Caps (L&R) | 1500mm | £26.15 |
| SE98220 | Profile & End Caps (L&R) | 2500mm | £43.57 |

### Cables, Connectors & Accessories

| CODE    | DESCRIPTION                       | RRP   |
|---------|-----------------------------------|-------|
| SE97890 | Contour Internal Corner Connector | £4.57 |
| SE97990 | Contour External Corner Connector | £4.57 |
| SE97790 | Silver Contour End Cap Set        | £3.75 |



SE97890  
Internal Corner  
Connector



SE97990  
External Corner  
Connector



SE97790  
End Cap Set



## EXPANSE PRO / EXPANSE LED ILLUMINATED BACK PANEL



- Perfect for creating a showcase of glass-fronted cabinets or flooding cupboards with light
- Installs into the back of wall units with magnetic fixing brackets
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17. (Also available in single-colour natural white)
- Fully diffused light - no visible diodes
- Provided with pre-connected lead to connect directly into the driver



### Expansive Pro - CCT LED Illuminated Back Panel (2700K - 6000K)

| CODE      | LUMENS  | WATTAGE | VOLTAGE | SIZE              | CABLE LENGTH | RRP     |
|-----------|---------|---------|---------|-------------------|--------------|---------|
| SE14092PO | 1300 lm | 13 W    | 24V     | 680 x 460 x 9.5mm | 1500mm       | £132.02 |
| SE14192PO | 2265 lm | 24 W    | 24V     | 463 x 523 x 9.5mm | 1500mm       | £110.94 |
| SE14292PO | 2960 lm | 28 W    | 24V     | 563 x 523 x 9.5mm | 1500mm       | £116.15 |
| SE14392PO | 2665 lm | 28 W    | 24V     | 463 x 686 x 9.5mm | 1500mm       | £117.71 |
| SE14492PO | 2919 lm | 28 W    | 24V     | 563 x 686 x 9.5mm | 1500mm       | £121.35 |

### Expansive - Natural White LED Illuminated Back Panel (4000K)

| CODE      | LUMENS  | WATTAGE | VOLTAGE | SIZE             | CABLE LENGTH | RRP     |
|-----------|---------|---------|---------|------------------|--------------|---------|
| SE14092NO | 1300 lm | 13W     | 24V     | 680 x 460 x 10mm | 1500mm       | £112.21 |



## VERONA CCT LED ILLUMINATED BASE PANEL



- A unique, integrated illuminated glass base panel with a superb light output that can transform a normal kitchen wall base unit into an illuminated base panel casting light both down to the worktops and up inside the wall unit
- The LEDs are encased between two glass panels which diffuse the light across the whole panel
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Controlled with a simple hand swipe to activate the integrated IR sensor



Verona - CCT LED Illuminated Base Panel (2700K - 6000K)


| CODE      | WATTAGE | VOLTAGE | SIZE             |
|-----------|---------|---------|------------------|
| SE13792NO | 1.9 W   | 24V     | 263 x 329 x 21mm |
| SE13092NO | 2.9 W   | 24V     | 363 x 329 x 21mm |
| SE13292NO | 3.3 W   | 24V     | 463 x 329 x 21mm |
| SE13392NO | 4.2 W   | 24V     | 563 x 329 x 21mm |
| SE13492NO | 5.6 W   | 24V     | 763 x 329 x 21mm |
| SE13592NO | 6.2 W   | 24V     | 863 x 329 x 21mm |
| SE13692NO | 7.1 W   | 24V     | 963 x 329 x 21mm |

Full specification and pricing available on request



## GLOW PRO / GLOW ILLUMINATED GLASS SHELF CLIP

- An inconspicuous solution to transform the appearance and functionality of feature cabinets as well as practical convenience lighting to locate items in a cupboards
- Emits relaxing mood lighting that flows out into the kitchen when used on glass feature shelves
- Can be cut to size at the marked cut points
- Fits 4-8mm glass shelves
- Attaches to the back of the shelf with a simple push-fit
- Available in both colour temperature changing (CCT) and single colour (cool white) options
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Cool white options compatible with Sensio single color receiver and Universal Remote Control to enable dimming functionality
- Glow Pro version compatible with Sensio CCT receiver and Universal Remote Control to adjust light temperature and enable dimming functionality



Flexible strip is pre-installed, ready to plug and play

REGISTERED DESIGN RIGHT - 6077032





#### Glow Glass Shelf Clip Illuminated Profile - Cool White (5000K)

| CODE      | LIGHT COLOUR       | WATTAGE | DESCRIPTION                    | *LENGTH | DRIVER   | RRP    |
|-----------|--------------------|---------|--------------------------------|---------|----------|--------|
| SE19089CO | Cool White (5000K) | 2.1 W   | Shelf Clip Illuminated Profile | 500mm   | Required | £22.92 |
| SE19039CO | Cool White (5000K) | 2.64 W  | Shelf Clip Illuminated Profile | 600mm   | Required | £30.78 |
| SE19079CO | Cool White (5000K) | 4.8 W   | Shelf Clip Illuminated Profile | 1000mm  | Required | £40.43 |

#### Glow Pro Glass Shelf Clip Illuminated Profile - Natural White (4500K)

| CODE      | LIGHT COLOUR          | WATTAGE | DESCRIPTION                    | *LENGTH | DRIVER   | RRP    |
|-----------|-----------------------|---------|--------------------------------|---------|----------|--------|
| SE19089NO | Natural White (4500K) | 2.1 W   | Shelf Clip Illuminated Profile | 500mm   | Required | £22.92 |
| SE19079NO | Natural White (4500K) | 4.8 W   | Shelf Clip Illuminated Profile | 1000mm  | Required | £40.43 |

#### Glow Pro Glass Shelf Clip Illuminated Profile - CCT (2700K - 6000K)

| CODE       | LIGHT COLOUR       | WATTAGE | DESCRIPTION                    | *LENGTH | DRIVER   | RRP    |
|------------|--------------------|---------|--------------------------------|---------|----------|--------|
| SE19079P02 | CCT (2700 - 6000K) | 2.7 W   | Shelf Clip Illuminated Profile | 500mm   | Required | £26.59 |
| SE19079P01 | CCT (2700 - 6000K) | 6 W     | Shelf Clip Illuminated Profile | 1000mm  | Required | £44.20 |

\*Length in table represents cabinet size

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION            | RRP    |
|----------|------------------------|--------|
| SE772990 | Single-Colour Receiver | £34.80 |
| SE771990 | CCT Receiver           | £35.24 |
| SE770390 | Universal Remote       | £40.48 |



## GENOA

### INTEGRATED LED SHELF PROFILE



- Unique up-and-down shelf light suitable for 18mm wooden shelves
- Clips on to the rear of the shelf, light projects vertically in both directions
- Easy to install
- Incorporates integrated diffuser and 2 pre-installed, LED strips



Genoa Integrated LED Shelf Profile - Cool White (4500K)


| CODE      | WATTAGE | VOLTAGE | QTY | LENGTH | DRIVER   | LUMENS | RRP    |
|-----------|---------|---------|-----|--------|----------|--------|--------|
| SE18592CO | 8.9 W   | 24V     | 1   | 563 mm | Required | 500 lm | £40.34 |



## TORINO LED WALL MOUNTED SHELF



- Contemporary, illuminated feature wall shelf
- LEDs embedded within the frame creates a stunning glow as the light travels through the tempered glass
- Available in both black and silver finishes
- Available in two lengths (600mm & 900mm)
- Aluminium frame with tempered glass shelf
- Load bearing capacity 10kg



Torino LED Wall Mounted Shelf - Cool White (4500K)

| CODE      | COLOUR | WATTAGE | VOLTAGE | QTY | LENGTH | DRIVER   | LUMENS | RRP     |
|-----------|--------|---------|---------|-----|--------|----------|--------|---------|
| SE17232CO | Silver | 5.4 W   | 24V     | 1   | 600 mm | Required | 325 lm | £118.10 |
| SE17262CO | Silver | 8.4 W   | 24V     | 1   | 900 mm | Required | 482 lm | £142.48 |
| SE17238CO | Black  | 5.4 W   | 24V     | 1   | 600 mm | Required | 325 lm | £118.10 |
| SE17268CO | Black  | 8.4 W   | 24V     | 1   | 900 mm | Required | 482 lm | £142.48 |

# UNDER CABINET LIGHTING



- Ensures the kitchen becomes a more effective working space for everyday tasks such as food preparation
- Typically positioned under wall units to illuminate worktops
- Variety of shapes, sizes and finishes offer the opportunity to make a feature of the lighting and compliment the design of the kitchen



UNDER-CABINET SPOT LIGHTING

04





# PLAZA

## LED SQUARE UNDER CABINET LIGHT



- Stylish, slimline design
- Removable magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible LED dots
- Superb, diffused light output - CRI : 90
- Ideal for under cabinet lighting
- Simple to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver



Plaza LED Under Cabinet Light - **Natural White (4000K)**

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER       |
|-----------|---------|---------|-----|--------|--------------|
| SE11090N0 | 3.6 W   | 24V     | 1   | 250 lm | Required     |
| SE11090N3 | 10.8 W  | 24V     | 3   | 250 lm | 15W Included |

Cables, Connectors & Accessories

| CODE   | DESCRIPTION          |
|--------|----------------------|
| SE9009 | 2.5m Extension Cable |





## SOLO LED UNDER CABINET LIGHT



- Stylish, slimline design
- Removable magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible dots
- Superb, diffused light output - CRI : 90
- Ideal for under cabinet lighting
- Simple to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver



### Solo LED Under Cabinet Light - Natural White (4000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER       |
|-----------|---------|---------|-----|--------|--------------|
| SE11192N0 | 2.5 W   | 24V     | 1   | 180 lm | Required     |
| SE11192N3 | 7.5 W   | 24V     | 3   | 180 lm | 15W Included |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          |
|--------|----------------------|
| SE9009 | 2.5m Extension Cable |

# TREOS

## LED SLIM TRIANGULAR UNDER CABINET LIGHT



- Stylish, stainless steel triangular design
- Perfect under cabinet task lighting
- Fully diffused - no visible dots
- Easy to install plug and play technology
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver



Treos LED Under Cabinet Light - Natural White (4000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER      |
|-----------|---------|---------|-----|--------|-------------|
| SE11290N0 | 2 W     | 24V     | 1   | 180 lm | Required    |
| SE11290N3 | 6 W     | 24V     | 3   | 180 lm | 6W Included |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          |
|--------|----------------------|
| SE9009 | 2.5m Extension Cable |



# VELOS

## LED UNDER CABINET LIGHT



- Super slimline design
- Brushed aluminium finish
- Magnetic mounting plate conceals fixings for a clean finish
- Ideal for under cabinet lighting
- Elongated design allows for vast spread of light across the worktop
- Suberb light output
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver



### Velos LED Under Cabinet Light - Natural White (4000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER       |
|-----------|---------|---------|-----|--------|--------------|
| SE11092N0 | 4.8 W   | 24V     | 1   | 290 lm | Required     |
| SE11092N3 | 14.4 W  | 24V     | 1   | 290 lm | 15W Included |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          |
|--------|----------------------|
| SE9009 | 2.5m Extension Cable |

## ZETA

### LED SURFACE/RECESSED SPOT LIGHT



- Compact, stylish appearance
- Supplied with removable collar to allow for either a surface mounted or recessed finish
- Diffused light - no visible dots
- Stainless steel finish
- Ideal for under cabinet or in cabinet feature lighting
- Easy to install
- Compatible with all Sensio single-colour lighting controls
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver



Zeta LED Under Cabinet Light - **Natural White (4000K)**

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER      |
|-----------|---------|---------|-----|--------|-------------|
| SE11190N0 | 2 W     | 24V     | 1   | 180 lm | Required    |
| SE11190N3 | 6 W     | 24V     | 3   | 180 lm | 6W Included |

#### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          |
|--------|----------------------|
| SE9009 | 2.5m Extension Cable |



# SERIES

## LIGHTING MADE SIMPLE

Get in touch to discover how our all natural white collection can elevate your design & install.

Series 1 offers a concise range of simple, high quality LED lights with no compromise on quality or efficiency whilst benefitting from excellent pricing (based on minimum order quantities).



## ARK LED UNDER CABINET LIGHT

- An elongated design offers a vast spread of light across worktops
- Fully diffused lens - no visible LED dots
- High number of LEDs for bright light output
- Easy installation using daisy chaining to fit multiple lights into one area
- Removable magnetic bezel conceals fixings for a sleek finish
- Compatible with all Sensio single-colour lighting controls



### Ark LED Under Cabinet Light - Cool White (5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER       | RRP    |
|-----------|---------|---------|-----|--------|--------------|--------|
| SE11192C0 | 2.5 W   | 24V     | 1   | 180 lm | Required     | £22.86 |
| SE11192C3 | 7.5 W   | 24V     | 3   | 180 lm | 15W Included | £87.22 |

### Ark LED Under Cabinet Light - Warm White (3000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER       | RRP    |
|-----------|---------|---------|-----|--------|--------------|--------|
| SE11192W0 | 2.5 W   | 24V     | 1   | 180 lm | Required     | £22.86 |
| SE11192W3 | 7.5 W   | 24V     | 3   | 180 lm | 15W Included | £87.22 |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |





## BERMUDA LED TRIANGLE LIGHT

- Position every 500mm for a stylish, stainless steel feature under cabinet light
- Quick Connect port on the back of the fitting for easy installation
- Suberb, lumen output
- Diffused light panel - no visible LED dots
- Dimmable (requires a suitable dimmable driver or single-colour receiver)
- Compatible with all Sensio single-colour lighting controls



### Bermuda LED Triangle Light - Cool White (5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER      | RRP    |
|-----------|---------|---------|-----|--------|-------------|--------|
| SE90010C0 | 2 W     | 24V     | 1   | 180 lm | Required    | £19.20 |
| SE90010C3 | 6 W     | 24V     | 3   | 180 lm | 6W Included | £77.75 |

### Bermuda LED Triangle Light - Warm White (3000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER      | RRP    |
|-----------|---------|---------|-----|--------|-------------|--------|
| SE90010W0 | 2 W     | 24V     | 1   | 180 lm | Required    | £19.20 |
| SE90010W3 | 6 W     | 24V     | 3   | 180 lm | 6W Included | £77.75 |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |



## NEXUS LED TRIANGLE UNDER CABINET LIGHT

- Stylish, stainless steel triangular design
- Perfect under cabinet task lighting
- Fully diffused - no visible dots
- Easy to install plug and play technology
- Compatible with all Sensio single-colour lighting controls
- Available in cool white and warm white making it ideal for a range of kitchen styles



### Nexus LED Light - Cool White (5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER      | RRP    |
|-----------|---------|---------|-----|--------|-------------|--------|
| SE11090C0 | 2 W     | 24V     | 1   | 180 lm | Required    | £19.54 |
| SE11090C3 | 6 W     | 24V     | 3   | 180 lm | 6W Included | £80.09 |

### Nexus LED Light - Warm White(3000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER      | RRP    |
|-----------|---------|---------|-----|--------|-------------|--------|
| SE11090W0 | 2 W     | 24V     | 1   | 160 lm | Required    | £19.54 |
| SE11090W3 | 6 W     | 24V     | 3   | 160 lm | 6W Included | £80.09 |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |



## APEX TRIOTONE® SLIMLINE LED UNDER CABINET SPOTLIGHT



- Super slimline design
- Stainless steel finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Removable collar allows for both surface mounting and recessed fitting
- Ideal for under cabinet lighting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting
- Diffused LEDs
- Suberb light output - CRI : 90
- Compatible with all Sensio single-colour lighting controls



Apex TrioTone® Led Under Cabinet Light - (3000K, 4000K, 5000K)

| CODE      | FINISH          | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER      | RRP    |
|-----------|-----------------|---------|---------|-----|--------|-------------|--------|
| SE12090T0 | Stainless Steel | 1.5 W   | 24V     | 1   | 100 lm | Required    | £16.19 |
| SE12090T3 | Stainless Steel | 4.5 W   | 24V     | 3   | 100 lm | 6W Included | £59.40 |

Cables, Connectors & Accessories

| CODE     | DESCRIPTION          | RRP   |
|----------|----------------------|-------|
| SE910980 | Black Bezel & Collar | £3.80 |
| SE9009   | 2.5m Extension Cable | £3.75 |



## ARK TRIOTONE® LED UNDER CABINET LIGHT



- An elongated design offers a vast spread of light across worktop
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch, concealed under the front bezel
- Magnetic mounting plate conceals fixings for a clean finish
- Fully diffused lens - no visible dots
- High number of LEDs for bright light output - CRI : 90
- Removable magnetic bezel conceals fixings for a sleek finish
- Easy installation using daisy chaining to fit multiple lights into one area
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Ark TrioTone® LED Under Cabinet Light - (3000K, 4000K, 5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER       | RRP    |
|-----------|---------|---------|-----|------------|--------------|--------|
| SE11192T0 | 2.5 W   | 24V     | 1   | 160-180 lm | Required     | £27.37 |
| SE11192T3 | 7.5 W   | 24V     | 3   | 160-180 lm | 15W Included | £90.13 |



Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |



## ASTRO TRIOTONE® LED UNDER CABINET LIGHT

- Fully diffused with no visible LED 'dots'
- Super slimline design
- Brushed aluminium, black, brass or copper finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Ideal for under cabinet lighting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting
- Elongated design allows for vast spread of light across the worktop
- Suberb light output - CRI : 90
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Astro TrioTone® Led Under Cabinet Light - (3000K, 4000K, 5000K)

| CODE       | FINISH            | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER       | RRP     |
|------------|-------------------|---------|---------|-----|------------|--------------|---------|
| SE1190T0.1 | Brushed Aluminium | 4.8 W   | 24V     | 1   | 280-300 lm | Required     | £32.00  |
| SE1190T3.1 | Brushed Aluminium | 14.4 W  | 24V     | 3   | 280-300 lm | 15W Included | £116.34 |
| SE1198T0.1 | Black             | 4.8 W   | 24V     | 1   | 280-300 lm | Required     | £34.22  |
| SE1198T3.1 | Black             | 14.4 W  | 24V     | 3   | 280-300 lm | 15W Included | £120.84 |
| SE1196T0   | Brass             | 4.8 W   | 24V     | 1   | 280-300 lm | Required     | £34.51  |
| SE1196T3   | Brass             | 14.4 W  | 24V     | 3   | 280-300 lm | 15W Included | £123.04 |
| SE1197T0   | Copper            | 4.8 W   | 24V     | 1   | 280-300 lm | Required     | £34.51  |
| SE1197T3   | Copper            | 14.4 W  | 24V     | 3   | 280-300 lm | 15W Included | £123.04 |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |





## BERMUDA TRIOTONE® LED TRIANGLE LIGHT



- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel - no visible LED dots
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver

**Registered Design Right - 6022106**



Bermuda TrioTone® HD LED Triangle Light - (3000K, 4000K, 5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER      | RRP     |
|-----------|---------|---------|-----|------------|-------------|---------|
| SE21000   | 2 W     | 24V     | 1   | 170-190 lm | Required    | £28.05  |
| SE21000K3 | 6 W     | 24V     | 3   | 170-190 lm | 6W Included | £103.77 |

Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |





## HORIZON TRIOTONE® SQUARE LED UNDER CABINET LIGHT



- A contemporary, slimline, under cabinet spot light
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch, concealed under the front bezel
- Simple to install
- Removable, magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible LED dots
- Superb lumen output for a flood of light
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Horizon TrioTone® LED Spot Light - **3000K, 4000K, 5000K**

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER       | RRP    |
|-----------|---------|---------|-----|--------|--------------|--------|
| SE11095T0 | 3.6 W   | 24V     | 1   | 250 lm | Required     | £20.46 |
| SE11095T3 | 10.8 W  | 24V     | 3   | 250 lm | 15W Included | £85.40 |

Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |



# HYPE TRIOTONE® LED SURFACE / RECESSED SPOT LIGHT



- A simple, highly effective, stainless steel feature under cabinet light
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Removable collar allows for both mounted and recessed fitting
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel - no visible LED dots
- Dimmable (requires a suitable dimmable driver or receiver)
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



**REGISTERED DESIGN RIGHT - 6022106**

Hype TrioTone® LED Light - (3000K, 4000K, 5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER      | RRP    |
|-----------|---------|---------|-----|------------|-------------|--------|
| SE21100   | 2 W     | 24V     | 1   | 170-190 lm | Required    | £21.84 |
| SE21100K3 | 6 W     | 24V     | 3   | 170-190 lm | 6W Included | £83.71 |

Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |



## NEO TRIOTONE® LED UNDER CABINET LIGHT



- An elongated light panel to create a wide spread of light across the worktop
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch underneath the front bezel of the fitting
- Featuring Prismatic LED technology
- Contains an innovative diffuser with an etched design to completely diffuse the light
- No visible LED dots reflect off the worktop
- Superb, bright light output - CRI : 90
- Dimmable (requires a suitable dimmable driver or receiver)
- Removable front bezel simplifies installation and hides fixings
- Plug & Play connection
- Slim depth of just 10mm
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Neo TrioTone® LED Light - **Stainless Steel** - (3000K, 4000K, 5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER   | RRP     |
|-----------|---------|---------|-----|------------|----------|---------|
| SE11590T0 | 4.8 W   | 24V     | 1   | 240-280 lm | Required | £34.92  |
| SE11590T3 | 14.4 W  | 24V     | 3   | 240-280 lm | Included | £125.19 |

Cables, Connectors & Accessories

| CODE      | DESCRIPTION          | RRP   |
|-----------|----------------------|-------|
| SE9009    | 2.5m Extension Cable | £3.75 |
| SE91598NO | Black Bezel          | £7.49 |



## NEXUS TRIOTONE® LED TRIANGLE UNDER CABINET LIGHT



- A temperature colour changing version and cousin to the single colour Nexus
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Fully diffused - no visible LED dots
- Easy to install plug and play technology
- Compatible with Sensio switches, single-colour receiver and Titan Smart Kinetic driver



Nexus TrioTone® LED Light - (3000K, 4000K, 5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER      | RRP    |
|-----------|---------|---------|-----|------------|-------------|--------|
| SE11090T0 | 2 W     | 24V     | 1   | 170-190 lm | Required    | £21.52 |
| SE11090T3 | 6 W     | 24V     | 3   | 170-190 lm | 6W Included | £83.00 |

Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |



## ARK PRO CCT LED UNDER CABINET LIGHT



- Ideal for under cabinet lighting
- Removable front bezel provides simple installation, hidden fixings and a sleek finish
- Multiple fittings can be daisy chained for easy installation
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Diffused light panel - no visible dots
- Dimmable
- High light output - CRI : 90
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



### Ark Pro - CCT LED Light (2700-6000K)

| CODE         | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER       | RRP     |
|--------------|---------|---------|-----|------------|--------------|---------|
| SE11192P0    | 2.5 W   | 24V     | 1   | 160-180 lm | Required     | £28.83  |
| SE11192P3*   | 7.5 W   | 24V     | 3   | 160-180 lm | 15W Included | 161.62  |
| SE11192PS3** | 7.5W    | 24V     | 3   | 160-180 lm | 15W Included | £127.84 |

\*SE11192P3 includes 3x Ark Pro, 15W Driver, CCT Receiver & Universal Remote Control

\*\* SE11192PS3 Smart Kit includes 3x Ark Pro & 15W CCT Titan Smart Kinetic Driver

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION             | RRP    |
|----------|-------------------------|--------|
| SE770390 | Universal Remote        | £40.48 |
| SE771990 | CCT Receiver            | £35.24 |
| SE90010  | 2.5m CCT Extension Lead | £5.20  |



# ASTRO PRO

## CCT LED UNDER CABINET LIGHT



- Fully diffused with no visible LED 'dots'
- Super slimline design
- Brushed aluminium or black finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Elongated design allows for vast spread of light across the worktop
- Suberb light output - CRI: 90
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



### Astro Pro - CCT Under Cabinet Light (2700K - 6000K)

| CODE       | FINISH            | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER     | RRP     |
|------------|-------------------|---------|---------|-----|------------|------------|---------|
| SE11190P0  | Brushed Aluminium | 4.8 W   | 24V     | 1   | 240-270 lm | Required   | £35.16  |
| SE11198P0  | Black             | 4.8 W   | 24V     | 1   | 240-270 lm | Required   | £38.00  |
| SE11190PS3 | Brushed Aluminium | 14.4 W  | 24V     | 3   | 240-270 lm | *Smart Kit | £150.32 |
| SE11198PS3 | Black             | 14.4 W  | 24V     | 3   | 240-270 lm | *Smart Kit | £156.01 |

\*Smart Kit - includes: 3x Astro Pro and 1x 15W CCT Titan Smart Kinetic Driver

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION              | RRP    |
|----------|--------------------------|--------|
| SE770390 | Universal Remote Control | £40.48 |
| SE771990 | CCT Receiver             | £35.24 |
| SE90010  | 2.5m CCT Extension Lead  | £5.20  |





## HORIZON PRO CCT SQUARE LED UNDER CABINET LIGHT



- A contemporary, slimline, under cabinet spot light
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Simple to install
- Removable, magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible LED dots
- Superb lumen output for a flood of light
- Compatible with Sensio switches, CCT receiver and dimmable driver
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



### Horizon Pro - CCT LED Under Cabinet Light (2700K - 6000K)

| CODE         | WATTAGE | VOLTAGE | QTY | LUMENS | DRIVER   | RRP     |
|--------------|---------|---------|-----|--------|----------|---------|
| SE11095P0    | 3.6 W   | 24V     | 1   | 319 lm | Required | £21.70  |
| SE11095PSK3* | 10.8 W  | 24V     | 3   | 319 lm | Included | £127.01 |


\*Smart Kit: 15W CCT Titan Smart Kinetic Driver included

### Cables, Connectors & Accessories

| CODE    | DESCRIPTION             | RRP   |
|---------|-------------------------|-------|
| SE90010 | 2.5m CCT Extension Lead | £5.20 |



## HYPE R PRO CCT LED SURFACE / RECESSED SPOT LIGHT



- Position every 500mm for a stylish, stainless steel feature under cabinet light
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Removable collar allows for both mounted and recessed fitting
- Stainless steel bezel can be removed and replaced with the black bezel and collar (sold separately)
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel - no visible LED dots
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



### REGISTERED DESIGN RIGHT - 6117745

#### Hype R Pro - CCT LED Spot Light (2700K - 6500K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER   | RRP    |
|-----------|---------|---------|-----|------------|----------|--------|
| SE90150PO | 2 W     | 24V     | 1   | 231-243 lm | Required | £26.14 |

#### Cables, Connectors & Accessories

| CODE     | DESCRIPTION             | RRP    |
|----------|-------------------------|--------|
| SE770390 | Universal Remote        | £40.48 |
| SE771990 | CCT Receiver            | £35.24 |
| SE970980 | Black Bezel & Collar    | £6.11  |
| SE90010  | 2.5m CCT Extension Lead | £5.20  |



## NEO PRO CCT LED UNDER CABINET LIGHT



- An elongated light panel to create a wide spread of light across the worktop
- Full diffused LEDs for soft and even illumination
- No visible diodes reflect off the worktop
- Control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Dimmable
- Removable, magnetic front bezel simplifies installation and hides fixings
- Plug & Play connection
- Slim depth of just 10mm
- Multiple fittings can be daisy chained together for simple installation



### Neo Pro - CCT LED Light (2700K-6000K)

| CODE         | WATTAGE | VOLTAGE | QTY | LUMENS     | DRIVER       | RRP     |
|--------------|---------|---------|-----|------------|--------------|---------|
| SE11590P0    | 4.8 W   | 24V     | 1   | 290-310 lm | Required     | £36.37  |
| SE11590P3*   | 14.4 W  | 24V     | 3   | 290-310 lm | 15W Included | £186.96 |
| SE11590PS3** | 14.4 W  | 24V     | 3   | 290-310 lm | 15W Included | £152.59 |

\*SE11590P3 includes 3x Neo Pro, 15W Driver, CCT Receiver & Universal Remote Control

\*\*SE11590PS3 Smart Kit includes 3x Neo Pro & 15W Titan Smart Kinetic Driver

### Cables, Connectors & Accessories

| CODE       | DESCRIPTION             | RRP    |
|------------|-------------------------|--------|
| SE770390   | Universal Remote        | £40.48 |
| SE771990   | CCT Receiver            | £35.24 |
| *SE91598N0 | Black Bezel             | £7.49  |
| SE90010    | 2.5m CCT Extension Lead | £5.20  |



## AXIS 240V LED STRIP LIGHT



- Ideal for under cabinet task lighting
- Diffused casing - no visible LED dots
- Available in 4 lengths ranging between 222mm and 904mm
- Can be interlinked with the integrated connector to achieve the optimum run of light
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs
- Available in natural white making it ideal for a range of kitchen styles



### Axis 240V LED Strip Light - Natural White (4000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LENGTH | LUMENS  |
|-----------|---------|---------|-----|--------|---------|
| SE10019NO | 3 W     | 240V    | 1   | 222 mm | 300 lm  |
| SE10029NO | 5 W     | 240V    | 1   | 343 mm | 500 lm  |
| SE10079NO | 8 W     | 240V    | 1   | 524 mm | 800 lm  |
| SE10099NO | 16 W    | 240V    | 1   | 904 mm | 1600 lm |

### Cables, Connectors & Accessories


| CODE     | DESCRIPTION           |
|----------|-----------------------|
| SE101290 | Joining Cable - 500mm |



## CONNEX 240V LED STRIP LIGHT



- Ideal for under cabinet task lighting
- Diffused casing - no visible LED dots
- Mains powered
- Available in 4 lengths ranging between 222mm and 904mm
- Can be interlinked with the integrated connector to achieve the optimum run of light
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs
- Available in warm white making it particularly suited to traditional kitchen styles



### Connex 240V LED Strip Light - Warm White (3000K)

| CODE     | WATTAGE | VOLTAGE | QTY | LENGTH | LUMENS  | RRP    |
|----------|---------|---------|-----|--------|---------|--------|
| SE100190 | 3 W     | 240V    | 1   | 222 mm | 300 lm  | £12.31 |
| SE100290 | 5 W     | 240V    | 1   | 343 mm | 500 lm  | £14.73 |
| SE100790 | 8 W     | 240V    | 1   | 524 mm | 800 lm  | £16.20 |
| SE100990 | 16 W    | 240V    | 1   | 904 mm | 1600 lm | £22.42 |

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                  | RRP   |
|----------|------------------------------|-------|
| SE101290 | Connex Joining Cable - 500mm | £2.68 |



## CONNEX TRIOTONE® 240V LED STRIP LIGHT



- Ideal for under cabinet task lighting
- One light, three colour temperatures
- Select cool white, natural white or warm white using the integrated rocker switch
- Diffused casing - no visible LED dots
- Mains powered
- Available in 4 lengths ranging between 343mm and 904mm
- Can be interlinked directly or by using joining cable for spacing & corners to achieve optimum run of lights
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs



Connex TrioTone® 240V LED Strip Light - **3000K, 4000K, 5000K**

| CODE     | WATTAGE | VOLTAGE | QTY | LENGTH | LUMENS  | RRP    |
|----------|---------|---------|-----|--------|---------|--------|
| SE100490 | 5 W     | 240V    | 1   | 343 mm | 95 lm/m | £25.95 |
| SE100590 | 9 W     | 240V    | 1   | 524 mm | 95 lm/m | £30.43 |
| SE100690 | 12 W    | 240V    | 1   | 623 mm | 95 lm/m | £32.03 |


Cables, Connectors & Accessories

| CODE     | DESCRIPTION                  | RRP   |
|----------|------------------------------|-------|
| SE101290 | Connex Joining Cable - 500mm | £2.68 |





## CORNER PANTRY PACK LED LIGHTING KIT



- A full pack of complimentary products to illuminate corner pantry units
- Includes both a spot light to cast light downwards from the top and a flexible strip to install inside the door frame to illuminate the shelving

### CONTAINS

- 1x Zeta - stainless steel under cabinet spotlight
- 1x Dart - 5m reel flexible LED strip
- 1x Link-S - door sensor with additional switch for double doors
- 1x 30W Titan Driver - powers the lighting with pre-wired 13A plug



Zeta



Dart



Link-S



30W Titan Driver with plug

#### Corner Pantry Pack - Natural White (4500K) Lighting Kit

| CODE      | TOTAL WATTAGE | VOLTAGE | RRP     |
|-----------|---------------|---------|---------|
| SE13195N0 | 20 W          | 24 V    | £143.68 |

#### Corner Pantry Pack - Natural White (4500K) Lighting Kit

| CODE      | TOTAL WATTAGE | VOLTAGE | RRP     |
|-----------|---------------|---------|---------|
| SE13195N0 | 20 W          | 24 V    | £143.68 |

# PLINTH SPOTLIGHTS



- 
- Adds dimension and depth to the room
  - Soft and unobtrusive, plinth lighting creates ambience
  - Often an overlooked aspect of kitchen lighting, its impact can be extraordinary!





## IRIS LED PLINTH LIGHT



- A stylish, discreet fitting ideal for plinth boards or in the bathroom (Zone 2)
- Easy Plug & Play technology
- Fittings can be daisy chained for simple installation
- 2 x 750mm cable per fitting for daisy chain connection
- Available individually or as a pack of 4 (including the Titan driver and a 3 pin plug)
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Available in natural white making it ideal for a range of kitchen styles



### Iris LED Plinth Light - Natural White (4000K)

| CODE      | WATTAGE | VOLTAGE | QTY | DRIVER      | LUMENS   |
|-----------|---------|---------|-----|-------------|----------|
| SE15990NO | 0.32 W  | 24V     | 1   | Required    | 5 lm PF* |
| SE15990N4 | 1.28 W  | 24V     | 4   | 6W Included | 5 lm PF* |

\*PF = per fitting



## LUCE TRIOTONE® LED SQUARE PLINTH LIGHT



- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Super thin, stainless steel square plinth lights
- Sits flush to the plinth board
- Diffused, integrated LEDs - no visible spots
- Easy to install
- Fittings can be daisy chained for simple installation
- Available individually or as a pack of 4



Luce TrioTone® LED Square Plinth Light - 3000K, 4000K, 5000K

| CODE      | WATTAGE | VOLTAGE | QTY | DRIVER      | LUMENS | RRP    |
|-----------|---------|---------|-----|-------------|--------|--------|
| SE15090T0 | 0.6 W   | 24V     | 1   | Required    | 20 lm  | £9.15  |
| SE15090T4 | 2.4 W   | 24V     | 4   | 6W Included | 20 lm* | £54.42 |

\*Per fitting





# HALO TRIOTONE® PLINTH LIGHT



- Ideal for use on kitchen plinth boards
- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a push of the button on the back of the fitting
- Diffused cover means no visible LEDs
- Easy to install
- Fittings can be daisy chained for simple installation
- Available individually or as a pack of 4
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



TrioTone™ switch - a simple push button on the back of the fitting to cycle colour temperature presets

Halo TrioTone® Plinth Light - (3000K, 4000K, 5000K)

| CODE     | FINISH          | WATTAGE | VOLTAGE | QTY | DRIVER      | LUMENS       | RRP    |
|----------|-----------------|---------|---------|-----|-------------|--------------|--------|
| SE150000 | Stainless Steel | 0.5 W   | 24V     | 1   | Required    | 32-35 lm     | £9.59  |
| SE150004 | Stainless Steel | 2 W     | 24V     | 4   | 6W Included | 32-35 lm PF* | £54.22 |
| SE150080 | Black           | 0.5 W   | 24V     | 1   | Required    | 32-35 lm     | £9.73  |
| SE150084 | Black           | 2 W     | 24V     | 4   | 6W Included | 32-35 lm PF* | £62.42 |

\*PF = Per fitting





## STELLAR PRO CCT PLINTH LIGHT



- A sleek and striking plinth light
- Large 35mm diameter and stainless steel rim
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures
- Fully diffused lens - no visible LEDs
- Fittings can be daisy chained for simple installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Activate and control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver (sold separately) and Free Link Sensio App



Stellar Pro - CCT LED Plinth Light (2700K - 6000K)

| CODE        | WATTAGE | VOLTAGE | QTY | DRIVER      | LUMENS    | RRP     |
|-------------|---------|---------|-----|-------------|-----------|---------|
| SEI5190P0   | 1.5 W   | 24V     | 1   | Required    | 60 lm/PF* | £14.73  |
| SEI5190PS4  | 6 W     | 24V     | 4   | **Smart Kit | 60 lm/PF* | £107.18 |
| SEI5190PS10 | 15 W    | 24V     | 10  | **Smart Kit | 60 lm/PF* | £183.19 |

\*PF = Per fitting

\*\*Smart Kit: 15W CCT Titan Smart Kinetic Driver included

# BATTERY, DRAWER & WARDROBE LIGHTING



- Simple convenience lighting to illuminate dark spots in wardrobes and cupboards
- Illuminate the contents of your wardrobe in the dark without needing to turn the main room lighting on
- Low energy consumption while creating maximum impact



RECHARGEABLE & BATTERY  
LIGHTING

07





## ALTO LED WARDROBE RAIL LIGHT



- Aluminium wardrobe rail light with anti-slip design
- Easy retro fit design & no electrical installation required
- Integrated PIR sensor activates the lights when wardrobe door opens
- Light will remain on for 30 seconds then switch off if no motion is detected
- Contains rechargeable lithium-ion battery
- 6.5 months battery power based on 2.5 minutes usage per day
- Average charging time is 5.5 hours
- Can be cut to length
- Load bearing capacity 20kg
- Side mounting bracket set included
- USB charger sold separately



*Minimum Order Quantity (MOQ) of 200 units applies*

### Alto LED Wardrobe Rail Light - Natural White (4500K)

| CODE      | WATTAGE | LENGTH | QTY | LEDS  | LUMENS | RRP    |
|-----------|---------|--------|-----|-------|--------|--------|
| SE53002CO | 0.6 W   | 562mm  | 1   | 11pcs | 55 lm  | £76.79 |
| SE53202CO | 1 W     | 962mm  | 1   | 19pcs | 95 lm  | £98.23 |

### Cables, Connectors & Accessories

| CODE         | DESCRIPTION                          | RRP    |
|--------------|--------------------------------------|--------|
| 03.2005.0800 | USB adapter with 5m USB to pin cable | £12.00 |





## INCLINE LED WARDROBE STRIP LIGHT



- Suitable for use in a wardrobe or kitchen cabinet to illuminate the space
- Easy retro fit design & no electrical installation required
- Integrated PIR sensor activates the lights when wardrobe door opens
- Light will remain on for 30 seconds then switch off if no motion is detected
- Contains rechargeable lithium-ion battery
- 6.5 months battery power based on 2.5 minutes usage per day
- Average charging time is 4.5 hours
- USB charger sold separately



*Minimum Order Quantity (MOQ) of 250 units applies*

### Incline LED Wardrobe Strip Light - Natural White (4500K)

| CODE      | WATTAGE | LENGTH | QTY | LEDS  | LUMENS | RRP     |
|-----------|---------|--------|-----|-------|--------|---------|
| SE20242CO | 0.4 W   | 350mm  | 1   | 6pcs  | 27 lm  | £100.03 |
| SE20252CO | 0.6 W   | 550mm  | 1   | 10pcs | 48 lm  | £102.73 |
| SE20272CO | 0.9 W   | 850mm  | 1   | 16pcs | 80 lm  | £123.43 |

### Cables, Connectors & Accessories

| CODE      | DESCRIPTION                          | RRP    |
|-----------|--------------------------------------|--------|
| SE2007000 | USB adapter with 5m USB to micro USB | £12.00 |



## MAGNUM RECHARGEABLE BATTERY LIGHT



- Ideal for wardrobes and kitchen cabinets
- Easy retro fit design and no electrical installation required
- Integrated PIR sensor with a 1.5m range of 120° activates the light
- Simple installation via a self adhesive magnetic plate - the light then attaches to the magnetic plate and removes for charging
- Contains rechargeable lithium-ion battery
- Rapid battery charge time (<2 hours)
- On/off switch to save battery capacity
- If no movement is detected, the unit will switch off after 10 seconds
- 6 months battery power - based on 2 minutes of usage per day
- 150mm USB charger cable included



Magnum Rechargeable Battery Light - **Natural White (4500K)**

| CODE     | FINISH          | WATTAGE | VOLTAGE | QTY | LUMENS | RRP    |
|----------|-----------------|---------|---------|-----|--------|--------|
| SE3391N0 | Chrome          | 0.4 W   | 5V      | 1   | 100 lm | £34.42 |
| SE3300N0 | Stainless Steel | 0.4 W   | 5V      | 1   | 100 lm | £33.14 |





## DURA PLUS

### LED BATTERY LIGHT WITH PIR SENSOR



- A versatile battery light which can be used both to illuminate drawers or cabinets
- Easy retro fit design & no electrical installation required
- Magnetic strip with 3M adhesive backing simply applies to the inside of the drawer
- Integrated PIR sensor activates the light
- If no movement is detected, the light will switch off after 20 or 60 second delay
- Powered by 4 AAA batteries (not included)
- Batteries will have an approximate lifespan of 8 months when used for 3 minutes per day
- Dual mode functioning switch on the back of the light - press functioning switch once to switch between the two modes



Dura Plus LED Battery Light with PIR Sensor - Natural White (5000K)

| CODE      | POWER                            | QTY | LENGTH | LUMENS | RRP    |
|-----------|----------------------------------|-----|--------|--------|--------|
| SE16097C0 | 4 x AAA batteries (not included) | 1   | 300mm  | 40 lm  | £25.50 |

## VERSO LED DRAWER LIGHT

- High definition LED drawer light perfect for both kitchen and bedroom drawers
- Integrated IR sensor on front edge - light will turn on and off when the drawer is opened and closed
- Low wattage allows a full drawer stack to be powered from a single driver
- Brackets and cable tidy supplied to ensure no loose, unsightly wires



### Verso LED Drawer Light - Natural White (4500K)

| CODE          | WATTAGE | QTY | LENGTH | LUMENS | RRP    |
|---------------|---------|-----|--------|--------|--------|
| SE7300HDNW.24 | 3.3 W   | 1   | 462mm  | 338 lm | £44.12 |
| SE7305HDNW.24 | 3.3 W   | 1   | 562mm  | 338 lm | £54.22 |
| SE7315HDNW.24 | 5.4 W   | 1   | 862mm  | 460 lm | £64.94 |
| SE7320HDNW.24 | 6 W     | 1   | 962mm  | 500 lm | £70.16 |

### Cables, Connectors & Accessories

| CODE   | DESCRIPTION          | RRP   |
|--------|----------------------|-------|
| SE9009 | 2.5m Extension Cable | £3.75 |



## STRATA

### SENSOR CONTROLLED LED LIGHT



- Ideal for wardrobes, drawers and kitchen cabinets
- Retro fit design with no electrical installation required
- Integrated sensor with 2 control options
- Simple installation via a self adhesive magnetic plate - the light then attaches to the magnetic plate and removes for charging
- Contains rechargeable lithium-ion battery
- On/off switch to save battery capacity
- 6 months battery power - based on 2 minutes of usage per day



Strata Rechargeable Battery Light - Natural White (4500K)

| CODE      | LENGTH | WATTAGE | VOLTAGE | QTY | LUMENS | RRP    |
|-----------|--------|---------|---------|-----|--------|--------|
| SE11002NO | 200mm  | 0.4 W   | 5V      | 1   | 100 lm | £23.46 |
| SE11102NO | 400mm  | 0.4 W   | 5V      | 1   | 100 lm | £34.92 |

# CEILING & FEATURE LIGHTING



- Create statement lighting with stunning pendants
- Pendants provide perfect over-island, practical task lighting
- Recessed spotlights offer a sleek, minimalist feel and fill the space with light







## BELLATRIX CRUSHED CRYSTAL PENDANT LIGHT



- Add glamour to your kitchen design suspending the Bellatrix above the kitchen island or dining table
- Beautiful crushed crystal layer in the bottom of the fitting
- Light bounces off crystals producing sparkling effect
- Polished chrome finish
- Suspended on 1.1m of stainless steel cables - cables are adjustable
- 972 integrated LEDs
- Superbly bright illumination
- Suitable for use with a wall dimmer
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Dimmable when installed with a wall dimming switch



Bellatrix Crushed Crystal Pendant Light - Warm White (3000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS  | RRP      |
|-----------|---------|---------|-----|---------|----------|
| SE32001W0 | 33.12 W | 240V    | 1   | 2000 lm | £1015.07 |





## ZIRCONIA CRYSTAL CONE PENDANT LIGHT



- Inject desirable mood lighting into your kitchen or bedroom with this exquisite droplet pendant
- Use above the kitchen island, dining table or in the bedroom
- Can be used in stylish clusters of 2 or 3 fittings
- 920mm stainless steel cable is adjustable
- Stylish chrome finish and clear base laced with floating crystals
- LED light reflects from each crystal giving sparkling effect
- 24 integrated LEDs
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



(Lit)



(Unlit)

Zirconia Crystal Cone Pendant Light - Warm White (3000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | RRP     |
|-----------|---------|---------|-----|--------|---------|
| SE32101W0 | 4.8 W   | 24V     | 1   | 330 lm | £166.46 |



Warm white, crystal &amp; chrome



## SOLINAS BLACK PENDANT LIGHT



- A striking crushed crystal, matte black industrial style cylindrical pendant light
- Perfect for both single or cluster implementation
- Offers diffused illumination through its crystalline ring and underside lens
- Available in both cool and warm white with a replaceable GU10 LED bulb
- Suitable for use with a wall dimmer
- Suspended on a 1.4m black cable from a matt black ceiling mount
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical



### Solinas Black Pendant Light - Cool White (6500K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | RRP    |
|-----------|---------|---------|-----|--------|--------|
| SE82098CO | 3.5 W   | 240V    | 1   | 164 lm | £81.58 |


### Solinas Black Pendant Light - Warm White (3000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS | RRP    |
|-----------|---------|---------|-----|--------|--------|
| SE82098WO | 3.5 W   | 240V    | 1   | 132 lm | £81.58 |



## TRIO TONE® IP65 FIRE RATED DOWNLIGHT

- A range of features and finishes in one fitting for the perfect ceiling spotlight
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Super slim interchangeable bezels easily clip on and off the fitting
- 3 bezels included - white, chrome & brushed steel
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making it suitable for both kitchen and bathroom use (Zone 1 and 2)



TrioTone® IP65 Fire Rated Downlight - (3000K, 4000K, 5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | RRP    |
|-----------|---------|---------|-----|------------|--------|
| SE62095T0 | 8 W     | 240V    | 1   | 650-700 lm | £40.76 |



## PURE DUAL POWER IP65 FIRE RATED DOWNLIGHT

- A range of features and finishes in one fitting for the perfect ceiling spotlight
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Super slim interchangeable bezels easily clip on and off the fitting
- 3 bezels included - white, chrome & brushed steel
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Dual power switch, 5W & 8W settings
- IP65 rated making it suitable for both kitchen and bathroom use (Zone 1 and 2)



TrioTone® IP65 Fire Rated Downlight - (3000K, 4000K, 5000K)

| CODE      | WATTAGE | VOLTAGE | QTY | LUMENS     | RRP    |
|-----------|---------|---------|-----|------------|--------|
| SE62299TO | 5W / 8W | 240V    | 1   | 650-700 lm | £27.20 |

TrioTone® Downlight Bezel Accessories

| CODE     | FINISH          | RRP   |
|----------|-----------------|-------|
| SE620980 | Black           | £3.38 |
| SE620970 | Brass           | £5.00 |
| SE631910 | Chrome          | £5.00 |
| SE601970 | Copper          | £5.00 |
| SE620900 | Stainless Steel | £5.00 |

Bezels compatible with:  
TrioTone® IP65 Downlight  
Pure TrioTone® Dual Power Downlight



## TRIO TONE® CUBE & CIRCA IP65 FIRE RATED DOWNLIGHT



- A stylish, glass bezel ceiling spotlight available in two shapes and two finishes
- Bezel available in both tinted black or clear glass
- Choose from either square with rounded corners (Cube) or round (Circa) fitting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making them suitable for kitchen and bathroom use (Zone 1 and 2)



**CUBE - REGISTERED DESIGN RIGHT - 6056146**

**CIRCA - REGISTERED DESIGN RIGHT - 6056147**

TrioTone® Cube & Circa IP65 Fire Rated Downlight - (3000K, 4000K, 5000K)

| CODE      | DESCRIPTION                   | WATTAGE | VOLTAGE | QTY | LUMENS     | RRP    |
|-----------|-------------------------------|---------|---------|-----|------------|--------|
| SE62094TO | TrioTone® Circa (Clear Glass) | 8 W     | 240V    | 1   | 650-700 lm | £51.24 |
| SE62294TO | TrioTone® Circa (Black Glass) | 8 W     | 240V    | 1   | 650-700 lm | £51.78 |
| SE62194TO | TrioTone® Cube (Clear Glass)  | 8 W     | 240V    | 1   | 650-700 lm | £52.32 |
| SE62394TO | TrioTone® Cube (Black Glass)  | 8 W     | 240V    | 1   | 650-700 lm | £52.87 |



## TRIOTONE® CUBE & CIRCA DUAL POWER IP65 FIRE RATED DOWNLIGHT



- A stylish, glass bezel ceiling spotlight available in two shapes and two finishes
- Bezel available in both tinted black or clear glass
- Choose from either square with rounded corners (Cube) or round (Circa) fitting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Dual power switch, 5W & 8W settings
- IP65 rated making them suitable for kitchen and bathroom use (Zone 1 and 2)

**CUBE - REGISTERED DESIGN RIGHT - 6056146**

**CIRCA - REGISTERED DESIGN RIGHT - 6056147**

TrioTone® Cube & Circa Dual Power - (3000K, 4000K, 5000K)

| CODE        | DESCRIPTION                   | WATTAGE | VOLTAGE | QTY | LUMENS     | RRP    |
|-------------|-------------------------------|---------|---------|-----|------------|--------|
| SE62094T0.1 | TrioTone® Circa (Clear Glass) | 8 W     | 240V    | 1   | 650-700 lm | £51.24 |
| SE62294T0.1 | TrioTone® Circa (Black Glass) | 8 W     | 240V    | 1   | 650-700 lm | £51.78 |
| SE62194T0.1 | TrioTone® Cube (Clear Glass)  | 8 W     | 240V    | 1   | 650-700 lm | £51.78 |
| SE62394T0.1 | TrioTone® Cube (Black Glass)  | 8 W     | 240V    | 1   | 650-700 lm | £52.87 |



SERIES

SERIES

## CARA FIRE RATED DOWNLIGHT



- Super slim interchangeable bezels easily clip on and off the fitting
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- 38° beam angle
- 68mm hole routing
- IP65 rated making it suitable for both kitchen and bathroom use (Zone 1 and 2)

### Cara - IP65 Fire Rated LED Downlight - Natural White

| CODE      | WATTAGE | VOLTAGE | QTY | RRP    |
|-----------|---------|---------|-----|--------|
| SE62099N0 | 5W      | 240V    | 1   | £15.21 |

### Cara Downlight Bezel Accessory

| CODE     | FINISH | RRP   |
|----------|--------|-------|
| SE630970 | Black  | £5.32 |
| SE630910 | Chrome | £5.32 |

## ELENA TRIOTONE® FIRE RATED DOWNLIGHT



- TrioTone® technology allows you to select cool (5000K), natural (4000K) or warm (3000K) white with a flick of the switch on the back of the fitting
- Tilttable bulb housing to control the light direction
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 5-100%
- 38° beam angle
- 68mm hole routing
- IP65 rated making them suitable for kitchen and bathroom use (Zone 1 and 2)

### Elena TrioTone® - Tilttable Downlight

| CODE      | FINISH | WATTAGE | QTY | RRP    |
|-----------|--------|---------|-----|--------|
| SE62198T0 | Black  | 6W      | 1   | £35.12 |
| SE62191T0 | Chrome | 6W      | 1   | £37.67 |
| SE62199T0 | White  | 6W      | 1   | £35.13 |

# POP-UP SOCKETS



- Discreet and concealed power points easily hidden into worktops
- Provides high output charging for USB devices and Qi charging
- A great option for offering power in kitchen island units








## SENSIOPOD E PULL UP SOCKET

- Slim handle sits almost flush with the worktop for a seamless finish
- Spring mounted handle - gentle push down to release then pull up
- 3 x Power sockets
- 2 x USB sockets
- Simple installation - 1.5m cable with 13A plug attached
- IP20 rated
- Available in stainless steel, aluminium and black finishes



### SensioPod E - Pull Up Socket

| CODE     | COLOUR          | CONNECTION | POWER SUPPLY                 | RRP    |
|----------|-----------------|------------|------------------------------|--------|
| SE891900 | Stainless Steel | 13A plug   | Sockets: 3 x power & 2 x USB | £82.62 |
| SE894920 | Aluminium       | 13A plug   | Sockets: 3 x power & 2 x USB | £82.62 |
| SE894930 | Black           | 13A plug   | Sockets: 3 x power & 2 x USB | £82.62 |



Simple push and pull access



## SENSIOPOD M MOTORISED SOCKET

- Motorised mechanism to raise and lower the unit
- Anti-trap feature stops the unit if an obstruction is detected
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on the top of the pod
- 3 x Power sockets
- 2 x USB sockets
- Integrated Qi charger in the top of the unit
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



### SensioPod M - Motorised Socket with Qi Charger

| CODE     | COLOUR    | CONNECTION | POWER SUPPLY                 | RRP     |
|----------|-----------|------------|------------------------------|---------|
| SE892920 | Aluminium | 13A plug   | Sockets: 3 x power & 2 x USB | £406.24 |




Qi charger in the top of the unit



## SENSIOPOD M BLUETOOTH MOTORISED BLUETOOTH SOCKET


- Motorised mechanism to raise and lower the unit
- Anti-trap feature stops the unit if an obstruction is detected
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on top of the pod
- 2 x Power sockets
- 2 x USB sockets
- Integrated Qi charger in the top of the unit
- Integrated Bluetooth speaker to connect compatible devices for playing music
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



SensioPod M - Motorised Socket with Bluetooth & Qi Charger

| CODE     | COLOUR    | CONNECTION | POWER SUPPLY  | RRP     |
|----------|-----------|------------|---|---------|
| SE893920 | Aluminium | 13A plug   | Sockets: 2 x power, 2 x USB ports & Bluetooth Speaker | £477.59 |





DISCREET POWER, IDEAL FOR  
ISLAND UNITS. QI CHARGER  
REMAINS ACTIVE WHETHER  
RAISED OR RECESSED


# LIGHTING CONTROL



- Multiple light type controls to enable light zoning
- Simple functionality via remotes, sensors or smart home devices
- Control the mood and functionality of the room with lights







## TITAN+ SENSOR DRIVER

- Slim 16mm depth
- Easy to use and install
- Available as 6W/15W/30W
- Integrated 2-pin connector, distribution ports
- Compatible lighting control accessories - PIR, IR, Switch & Door sensors. Simply plug in the chosen sensor to the designated port in the driver.
- Mains cable included
- Dimmable when paired with the Titan+ IR sensor

### Titan+ - Sensor Driver

| CODE     | WATTAGE | No. PORTS | RRP    |
|----------|---------|-----------|--------|
| SE495950 | 6W      | 4         | £23.82 |
| SE496950 | 15W     | 6         | £29.04 |
| SE497950 | 30W     | 6         | £47.33 |

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                        | RRP    |
|----------|------------------------------------|--------|
| SE490250 | IR Sensor                          | £13.74 |
| SE491250 | PIR Sensor                         | £17.22 |
| SE492250 | Push Switch                        | £8.03  |
| SE493250 | Door Sensor                        | £15.13 |
| SE90012  | Titan+ Sensor 2.5m Extension Cable | £3.84  |
| SE990990 | *Driver Port Expander              | £3.33  |

## TITAN+ SENSOR ADAPTER



- Turn any standard driver into a Titan+
- The Titan+ Sensor Adapter allows this sensor range to be used with any driver featuring 2-pin ports to control lights placed afterwards in the chain.

### Titan+ - Sensor Adapter

| CODE     | DESCRIPTION                       | RRP    |
|----------|-----------------------------------|--------|
| SE797990 | Titan+ Sensor Adapter             | £9.21  |
| SE797991 | Titan+ Double Door Sensor Adapter | £14.53 |

## DRIVER PORT EXPANDER



- Increase the capacity of the driver with an added 12 ports
- Always remember the total wattage of lights connected should not exceed that of the driver

## IR TITAN+ SENSOR



- Allows activation of all lighting plugged into the Titan+ driver with the swipe of a hand
- Detection range of 0-5cm
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable
- Adds dimmable functionality to Titan+ driver

## PIR TITAN+ SENSOR



- Allows activation of all lighting plugged into the Titan+ driver by detecting motion
- Detection range of 0-3m
- Detection angle of 120°
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable

## DOOR TITAN+ SENSOR



- Allows activation of all lighting plugged into the Titan+ driver with the opening and closing of doors
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable

## PUSH SWITCH TITAN+ CONTROL



- Allows activation of all lighting plugged into the Titan+ driver with the push of a button
- Perfect for recessed mounting in to a worktop
- Features a robust clicker switch
- Cut out diameter of 12mm
- 2m connection cable



## TITAN DIMMABLE DRIVER



- Depth of 16mm
- Integrated 2-pin connector, distributor ports
- 2m mains cable included
- Short circuit & overload protection
- Surge and thermal protection
- Wide dimming range: 5% - 100%
- Wall dimmable
- Easy to use - Just plug and play
- Minimum 25% load

### Titan Dimmable - Driver

| CODE    | WATTAGE | WATTAGE | No. PORTS | RRP    |
|---------|---------|---------|-----------|--------|
| SE40899 | 24V     | 30 W    | 6         | £42.72 |
| SE40699 | 24V     | 60 W    | 10        | £49.90 |

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION           | RRP   |
|----------|-----------------------|-------|
| SE990990 | *Driver Port Expander | £3.33 |

\*Increase the capacity of the driver with an additional 12 ports.





amazon alexa  
Google Assistant

## TITAN SMART RGB CCT FULL COLOUR CONTROL SMART DRIVER

- For use with the Sensio Flux RGB CCT Flexible LED strip light
- Slim 16mm depth
- Easy to use and Install
- Integrated distribution ports
- Compatible with Amazon Alexa & Google Assistant for voice activated control over the lighting
- Combine with the Link Sensio Smart Phone App (available for both Android and iOS devices) to access a multitude of clever features such as dimming, colour changing and lighting schedules
- Mains cable included



## LINK SENSIO SMART PHONE APP

- The "Link Sensio" app is available to download for free on both iOS and Android smart devices. Use the app, in conjunction with a smart home device, to operate our Titan Smart RGB CCT Driver.

### Titan - Smart RGB CCT Driver

| CODE      | WATTAGE | CONTROL | No. PORTS | CHANNELS | RRP    |
|-----------|---------|---------|-----------|----------|--------|
| *SE405595 | 30 W    | RGB CCT | 4         | -        | £62.01 |

### Cables, Connectors & Accessories

| CODE      | DESCRIPTION                     | RRP    |
|-----------|---------------------------------|--------|
| SE10625R0 | Flux Flexible Strip             | £49.51 |
| SE90011   | RGB CCT 2.5m Extension Lead     | £4.94  |
| SE991990  | RGB CCT Port Expander - 4 ports | £6.62  |





## TITAN SMART KINETIC WIRELESS SWITCH & VOICE ACTIVATED DRIVER

- Slim 16mm depth
- Easy to use and Install
- Integrated distribution ports
- Compatible with Amazon Alexa & Google Assistant for voice activated control over the lighting
- Combine with the Link Sensio Smart Phone App (available for both Android and iOS devices) to access a multitude of clever features such as dimming, colour changing and lighting schedules
- For wireless lighting control, pair with the Titan Kinetic Switch - the multi-functional buttons allow intuitive control over power, dimming and colour temperature and require no wiring or mains power
- Mains cable included
- Available for both single-colour and CCT lights



### Titan - Kinetic Smart Driver


| CODE     | WATTAGE | CONTROL       | No. PORTS | CHANNELS | RRP    |
|----------|---------|---------------|-----------|----------|--------|
| SE406581 | 15 W    | Single-colour | 5         | 5        | £59.16 |
| SE406591 | 30 W    | Single-colour | 5         | 5        | £68.73 |
| SE406582 | 15 W    | CCT           | 3         | 3        | £59.71 |
| SE406592 | 30 W    | CCT           | 6         | 3        | £70.42 |

### Cables, Connectors & Accessories

| CODE     | DESCRIPTION                 | RRP   |
|----------|-----------------------------|-------|
| SE90010  | CCT 2.5m Extention Lead     | £5.20 |
| SE992990 | CCT Port Expander - 4 Ports | £5.72 |

## LINK SENSIO SMART PHONE APP

- The "Link Sensio" app is available to download for free on both iOS and Android smart devices. Use the app, in conjunction with a smart home device, to operate our Titan Smart Kinetic Driver.



## KINETIC SWITCH WIRELESS CONTROL

- Switch can be placed anywhere with no additional power or wiring required
- Simple, wall mount installation via screws or adhesive tape included
- Connects to the Titan Kinetic driver or 240V mains receiver at the press of a button
- One, two and three gang options available for additional control functions such as dimming, colour adjust and zoning

Titan - Kinetic Switch

| CODE     | DESCRIPTION | RRP    |
|----------|-------------|--------|
| SE781990 | 1 Gang      | £27.61 |
| SE782990 | 2 Gang      | £33.24 |
| SE783990 | 3 Gang      | £38.87 |

## KINETIC RECEIVER 240V MAINS LIGHTING CONTROL

- Allows control of any mains lighting with the wireless kinetic switch
- Colour adjust and dimming with compatible lights such as the Sensio IP65 downlights
- WiFi function for control via the Link Sensio App and smart home devices
- 200 - 240V mains input
- Maximum load 100W

Titan - Kinetic Switch

| CODE     | DESCRIPTION      | RRP    |
|----------|------------------|--------|
| SE780990 | Kinetic Receiver | £64.01 |



## SINGLE COLOUR RECEIVER

- Control single colour lighting products (e.g warm white colour temperature lights)
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with the a single Universal Remote Control
- 30m range
- 96W at 12V and 192W at 24V

## UNIVERSAL REMOTE CONTROL

- The remote can control single colour lighting (dimming), CCT (tunable white) and RGB (colour changing) lights
- Offers a multitude of functions including the ability to set up channels and zone lighting
- Wall mounting bracket provided to keep the remote safe and secure when not in use
- Requires 2x AAA batteries (not included)

Use in conjunction with the appropriate receiver for the chosen lights.

## CCT RECEIVER

- Control CCT (Correlated Colour Temperature) lighting products
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with a single Universal Remote Control
- 30m range
- 60W at 12V and 120W at 24V

## RGBCCT RECEIVER



- Control RGB and CCT (Colour Changing Technology) lighting products
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with a single Universal Remote Control
- 30m range
- 36W at 12V and 72W at 24V

### Universal Remote Control

| CODE     | RRP    |
|----------|--------|
| SE770390 | £40.48 |

### Receivers

| CODE     | DESCRIPTION            | NO. PORTS | RRP    |
|----------|------------------------|-----------|--------|
| SE772990 | Single Colour Receiver | 4         | £34.80 |
| SE771990 | CCT Receiver           | 4         | £35.24 |
| SE770990 | RGBCCT Receiver        | 1         | £41.64 |



Single Colour & TrioTone®  
2-pin ports



CCT  
4-pin ports



RGB CCT  
6-pin port

## WIRELESS PIR MOTION SENSOR SWITCH



- Activates lights on opening of a cupboard or entry of a room
- 1m-3m activation zone
- Automatically switches off the lights after 3 minutes if no movement detected
- Includes bracket for surface mounting of the sensor
- Available as a kit including the wireless receiver and sensor, in addition to single sensors which are sold separately
- One receiver can support up to 4 sensors to ensure there are no blind spots in detection



### Wireless PIR - Motion Sensor Switch

| CODE     | DESCRIPTION                    | FINISH | MAX. WATTAGE | No. PORTS | QTY | DRIVER   | RRP    |
|----------|--------------------------------|--------|--------------|-----------|-----|----------|--------|
| SE790980 | Link-S Wireless PIR & Receiver | Silver | 60W or 120W* | 6         | 1   | Required | £45.55 |
| SE791980 | Wireless PIR                   | Silver | 60W or 120W* | -         | 1   | Required | £21.14 |

\* 60W with 12V input or 120W with 24V input






## LINK-S RECEIVER, MAGNET & REED SWITCH



- Control lighting wirelessly through the opening and closing of doors
- Magnet and Reed Switch suitable for mounting on any door and frame or surround
- Opening the door will send a signal to the receiver to trigger the lighting (as the magnet loses contact with the Reed Switch)
- Small size of components means that their appearance is discreet
- Control multiple lights within a kitchen or bedroom
- Range of >8m
- Battery life of >3 years
- One receiver can support up to five Magnets and Reed switches
- One Reed Switch and Magnet can support up to five receivers



Link-S - Receiver, Magnet and Reed Switch

| CODE    | DESCRIPTION                      | VOLTAGE                       | MAX. WATTAGE | No. PORTS | RRP    |
|---------|----------------------------------|-------------------------------|--------------|-----------|--------|
| SE79095 | Receiver, Magnet and Reed Switch | 24V                           | 72 W         | 6         | £39.37 |
| SE79195 | Receiver                         | 24V                           | 72 W         | -         | £24.37 |
| SE79295 | Magnet and Reed Switch           | 3V (2x 1632 Button Batteries) | -            | -         | £16.87 |

# PRODUCT INDEX

## FLEXIBLE LED STRIP LIGHTING

| PRODUCT                  | CODE       | PAGE |
|--------------------------|------------|------|
| Dart (5m)                | SE10355N0  | 28   |
| Dart (5m kit)            | SE10355N1  |      |
| Flux (2m)                | SE10625R0  | 44   |
| Flux (3m)                | SE106105R0 |      |
| Flux (5m)                | SE10655R0  |      |
| Flux (5m receiver kit)   | SE10655R1  |      |
| Ion 8 (5m)               | SE10855P0  | 40   |
| Ion 8 (5m smart kit)     | SE10855PS1 |      |
| Ion 8 (5m receiver kit)  | SE10855P1  |      |
| Ion 5 (5m)               | SE10755P0  | 41   |
| Ion 5 (5m smart kit)     | SE10755PS1 |      |
| Ion 5 (5m receiver kit)  | SE10755P1  |      |
| Neutron (5m cool)        | SE10455C0  | 31   |
| Neutron (2m natural)     | SE10425N0  |      |
| Neutron (5m natural)     | SE10455N0  |      |
| Neutron (5m warm)        | SE10455W0  |      |
| Primo 2 (5m cool)        | SE10755C0  | 30   |
| Primo 2 (5m cool kit)    | SE10755C1  |      |
| Primo 2 (5m warm)        | SE10755W0  |      |
| Primo 2 (5m warm kit)    | SE10755W1  |      |
| Polar (5m cool)          | SE20055C0  | 36   |
| Polar (5m cool kit)      | SE20055C1  |      |
| Polar (2m natural)       | SE20125N0  |      |
| Polar (2m natural kit)   | SE20125N1  |      |
| Polar (5m natural)       | SE20055N0  |      |
| Polar (5m natural kit)   | SE20055N1  |      |
| Polar (5m warm)          | SE20055W0  |      |
| Polar (5m warm kit)      | SE20055W1  |      |
| Polar Pro (5m)           | SE20055P0  | 42   |
| Radiant (5m cool)        | SE10555C0  | 38   |
| Radiant (5m cool kit)    | SE10555C1  |      |
| Radiant (1.8m natural)   | SE10795N0  |      |
| Radiant (1.95m natural)  | SE10595N0  |      |
| Radiant (2.15m natural)  | SE10695N0  |      |
| Radiant (3m natural)     | SE105105N0 |      |
| Radiant (3m natural kit) | SE105105N1 |      |
| Radiant (5m natural)     | SE10555N0  |      |
| Radiant (5m natural kit) | SE10555N1  |      |
| Radiant (5m warm)        | SE10555W0  |      |
| Radiant (5m warm kit)    | SE10555W1  |      |
| Radiant (Brackets pack)  | SE900940   |      |
| Radiant Pro (5m)         | SE10555P0  | 43   |

| PRODUCT                  | CODE      | PAGE |
|--------------------------|-----------|------|
| Razor (5m natural)       | SE20095N0 | 39   |
| Razor (3m natural)       | SE20099N0 |      |
| Razor (5m warm)          | SE20095W0 |      |
| Razor (3m warm)          | SE20099W0 |      |
| Sigma 2 (5m cool)        | SE10855C0 | 34   |
| Sigma 2 (5m cool kit)    | SE10855C1 |      |
| Sigma 2 (5m natural)     | SE10855N0 |      |
| Sigma 2 (5m natural kit) | SE10855N1 |      |
| Sigma 2 (5m warm)        | SE10855W0 |      |
| Sigma 2 (5m warm kit)    | SE10855W1 |      |
| Viva 3 (0.5m cool)       | SE10745C0 | 32   |
| Viva 3 (1m cool)         | SE10715C0 |      |
| Viva 3 (1m cool kit)     | SE10715C1 |      |
| Viva 3 (2m cool)         | SE10725C0 |      |
| Viva 3 (2m cool kit)     | SE10725C1 |      |
| Viva 3 (5m cool)         | SE10655C0 |      |
| Viva 3 (5m cool kit)     | SE10655C1 |      |
| Viva 3 (1m natural)      | SE10715N0 |      |
| Viva 3 (1m natural kit)  | SE10715N1 |      |
| Viva 3 (2m natural)      | SE10725N0 |      |
| Viva 3 (2m natural kit)  | SE10725N1 |      |
| Viva 3 (0.5m warm)       | SE10745W0 |      |
| Viva 3 (1m warm)         | SE10715W0 |      |
| Viva 3 (1m warm kit)     | SE10715W1 |      |
| Viva 3 (2m warm)         | SE10725W0 |      |
| Viva 3 (2m warm kit)     | SE10725W1 |      |
| Viva 3 (5m warm)         | SE10655W0 |      |
| Viva 3 (5m warm kit)     | SE10655W1 |      |

## PROFILES

| PRODUCT                   | CODE       | PAGE |
|---------------------------|------------|------|
| Accent (1500mm)           | SE185700   | 52   |
| Accent (2500mm)           | SE185800   |      |
| Accent (Internal corner)  | SE995950   |      |
| Accent (External corner)  | SE994950   |      |
| Accent (Installation aid) | SE996950   |      |
| Accent (End cap kit)      | SE993950   |      |
| Adapt (1500mm)            | SE186790   | 53   |
| Adapt (2500mm)            | SE186890   |      |
| Adapt (Bracket set)       | SE997950   |      |
| Adapt (Drawer brackets)   | SE998950   |      |
| Adapt (End cap kit)       | SE999950   |      |
| Adorn (1000mm)            | SE190720   |      |
| Beam (1000mm)             | SE982120   | 57   |
| Beam (2200mm)             | SE982220   |      |
| Beam (End cap set)        | SE983050.1 |      |
| Beam (Bracket set)        | SE984050.1 |      |
| Blaze (1500mm)            | SE182720   |      |
| Blaze (2500mm)            | SE182820   |      |
| Blaze (Internal corner)   | SE986950   |      |
| Blaze (External corner)   | SE985950   |      |
| Blaze (End cap kit)       | SE984950   |      |
| Contour (1500mm)          | SE98210    | 61   |
| Contour (2500mm)          | SE98220    |      |
| Contour (Internal corner) | SE97890    |      |
| Contour (External corner) | SE97990    |      |
| Contour (End cap kit)     | SE97790    |      |
| Fino (AL 1000mm)          | SE981120   | 58   |
| Fino (AL 2000mm)          | SE981220   |      |
| Fino (AL End cap kit)     | SE982050   |      |
| Fino (BL 1000mm)          | SE981180   |      |
| Fino (BL 2000mm)          | SE981280   |      |
| Fino (BL End cap kit)     | SE982080   |      |
| Fino (Bracket set)        | SE981050   |      |
| Gamma (1500mm)            | SE183720   |      |
| Gamma (2500mm)            | SE183820   |      |
| Gamma (Internal corner)   | SE989950   |      |
| Gamma (External corner)   | SE988950   |      |
| Gamma (End cap kit)       | SE987950   |      |
| Gamma (Bracket set)       | SE910950   |      |
| Glow (1000mm)             | SE190790   | 54   |
| Linia (AL 1000mm)         | SE980120   | 59   |
| Linia (AL 2200mm)         | SE980220   |      |
| Linia (AL 2500mm)         | SE980380   |      |
| Linia (AL End cap kit)    | SE980180   |      |
| Linia (BL 1000mm)         | SE980280   |      |
| Linia (BL 2200mm)         | SE980920   |      |
| Linia (BL 2200mm)         | SE980320   |      |
| Linia (BL End cap kit)    | SE980980   |      |

| PRODUCT                   | CODE       | PAGE |
|---------------------------|------------|------|
| Manta (361mm)             | SE27012CO  | 60   |
| Manta (411mm)             | SE27112CO  |      |
| Manta (761mm)             | SE27412CO  |      |
| Manta (861mm)             | SE27512CO  |      |
| Manta (1161mm)            | SE27712CO  |      |
| Ray (1500mm)              | SE184720   | 49   |
| Ray (2500mm)              | SE184820   |      |
| Ray (Internal corner)     | SE992950   |      |
| Ray (External corner)     | SE991950   |      |
| Ray (End cap kit)         | SE990950   |      |
| Ray (Brackets set)        | SE911950   |      |
| Vector (1500mm)           | SE181700   | 55   |
| Vector (2500mm)           | SE181800   |      |
| Vector (Internal corner)  | SE982950   |      |
| Vector (External corner)  | SE981950   |      |
| Vector (Installation aid) | SE983950   |      |
| Vector (End cap kit)      | SE993950   |      |
| Verona (263 x 329mm)      | SE13792NO  | 63   |
| Verona (363 x 329mm)      | SE13092NO  |      |
| Verona (463 x 329mm)      | SE13292NO  |      |
| Verona (563 x 329mm)      | SE13392NO  |      |
| Verona (763 x 329mm)      | SE13492NO  |      |
| Verona (863 x 329mm)      | SE13592NO  |      |
| Verona (963 x 329mm)      | SE13692NO  |      |
| Expanse (680 x 460mm)     | SE14092NO  | 62   |
| Expanse Pro (680 x 460mm) | SE14092PO  | 62   |
| Expanse Pro (463 x 523mm) | SE14192PO  |      |
| Expanse Pro (563 x 523mm) | SE14292PO  |      |
| Expanse Pro (463 x 686mm) | SE14392PO  |      |
| Expanse Pro (563 x 686mm) | SE14492PO  |      |
| Genoa                     | SE18592CO  | 66   |
| Glow (500mm cool)         | SE19089CO  | 64   |
| Glow (600mm cool)         | SE19039CO  |      |
| Glow (1000mm cool)        | SE19079CO  |      |
| Glow (500mm natural)      | SE19089NO  |      |
| Glow (1000mm natural)     | SE19079NO  |      |
| Glow Pro (500mm CCT)      | SE19079P02 |      |
| Glow Pro (1000mm CCT)     | SE19079P01 |      |
| Torino (SL 600mm)         | SE17232CO  | 67   |
| Torino (SL 900mm)         | SE17262CO  |      |
| Torino (BL 600mm)         | SE17238CO  |      |
| Torino (BL 600mm)         | SE17268CO  |      |

# PRODUCT INDEX

## UNDER CABINET LIGHTING

| PRODUCT                    | CODE                   | PAGE |
|----------------------------|------------------------|------|
| Plaza                      | SE11090N0              | 70   |
| Plaza (3 kit)              | SE11090N3              |      |
| Solo                       | SE11192N0<br>SE11192N3 | 71   |
| Treos                      | SE11290N0              | 72   |
| Treos (3 kit)              | SE11290N3              |      |
| Velos                      | SE11092N0              | 73   |
| Velos (3 kit)              | SE11092N3              |      |
| Zeta                       | SE11190N0              | 74   |
| Zeta (3 kit)               | SE11190N3              |      |
| Apex TrioTone®             | SE12090T0              | 79   |
| Apex TrioTone® (3 kit)     | SE12090T3              |      |
| Ark (Cool)                 | SE11092C0              | 76   |
| Ark (Cool 3 kit)           | SE11092C3              |      |
| Ark (Warm)                 | SE11092W0              |      |
| Ark (Warm 3 kit)           | SE11092W3              |      |
| Ark Pro                    | SE11192P0              | 87   |
| Ark Pro (Receiver kit)     | SE11192P3              |      |
| Ark Pro (Smart kit)        | SE11192PS3             |      |
| Ark TrioTone®              | SE11092T0              | 80   |
| Ark TrioTone® (3 kit)      | SE11092T3              |      |
| Astro TrioTone® (AL)       | SE11190T0.1            | 81   |
| Astro TrioTone® (AL 3 kit) | SE11190T3.1            |      |
| Astro TrioTone® (BL)       | SE11198T0.1            |      |
| Astro TrioTone® (BL 3 kit) | SE11198T3.1            |      |
| Astro TrioTone® (BS)       | SE11196T0              |      |
| Astro TrioTone® (BS 3 kit) | SE11196T3              |      |
| Astro TrioTone® (CO)       | SE11197T0              |      |
| Astro TrioTone® (CO 3 kit) | SE11197T3              |      |
| Astro Pro (AL)             | SE11190P0              | 88   |
| Astro Pro (BL)             | SE11198P0              |      |
| Astro Pro (AL Smart kit)   | SE11190PS3             |      |
| Astro Pro (BL Smart kit)   | SE11198PS3             |      |
| Bermuda (Cool)             | SE90010C0              | 77   |
| Bermuda (Cool 3 kit)       | SE90010C3              |      |
| Bermuda (Warm)             | SE90010W0              |      |
| Bermuda (Warm 3 kit)       | SE90010W3              |      |
| Bermuda TrioTone®          | SE21000                | 82   |
| Bermuda TrioTone® (kit)    | SE21000K3              |      |
| Hype R Pro                 | SE90150P0              | 90   |
| Hype R Pro (Black bezel)   | SE970980               |      |
| Hype TrioTone®             | SE21100                | 84   |
| Hype TrioTone® (3 kit)     | SE21100K3              |      |
| Horizon Pro                | SE11095P0              | 89   |
| Horizon Pro (smart 3 kit)  | SE11095PSK3            |      |
| Horizon TrioTone®          | SE11095T0              | 114  |
| Horizon TrioTone® (3 kit)  | SE11095T3              |      |

| PRODUCT                  | CODE       | PAGE |
|--------------------------|------------|------|
| Neo Pro                  | SE11590P0  | 91   |
| Neo Pro (Receiver kit)   | SE11590P3  |      |
| Neo Pro (Smart kit)      | SE11590PS3 |      |
| NP/NT Black Bezel        | SE91598N0  |      |
| Neo TrioTone®            | SE11590T0  | 85   |
| Neo TrioTone® (3 kit)    | SE11590T3  |      |
| NP/NT Black Bezel        | SE91598N0  |      |
| Nexus (Cool)             | SE11090C0  | 78   |
| Nexus (Cool 3 kit)       | SE11090C3  |      |
| Nexus (Warm)             | SE11090W0  |      |
| Nexus (Warm 3 kit)       | SE11090W3  |      |
| Nexus TrioTone®          | SE11090T0  | 86   |
| Nexus TrioTone® (3 kit)  | SE11090T3  |      |
| Axis (222mm)             | SE10019N0  | 92   |
| Axis (343mm)             | SE10029N0  |      |
| Axis (524mm)             | SE10079N0  |      |
| Axis (904mm)             | SE10099N0  |      |
| Connex (222mm)           | SE100190   | 93   |
| Connex (343mm)           | SE100290   |      |
| Connex (524mm)           | SE100790   |      |
| Connex (904mm)           | SE100990   |      |
| Connex TrioTone® (343mm) | SE100490   | 94   |
| Connex TrioTone® (524mm) | SE100590   |      |
| Connex TrioTone® (623mm) | SE100690   |      |
| Connex TrioTone® (904mm) | SE100890   |      |
| Corner Pantry Pack       | SE13195N0  | 95   |

## PLINTH SPOTLIGHTS

| PRODUCT                | CODE        | PAGE |
|------------------------|-------------|------|
| Halo TrioTone®         | SE150000    | 100  |
| Halo TrioTone® (4 kit) | SE150004    |      |
| Iris                   | SE15990N0   | 98   |
| Iris (4 kit)           | SE15990N4   |      |
| Luce TrioTone®         | SE15090T0   | 99   |
| Luce TrioTone® (4 kit) | SE15090T4   |      |
| Stellar Pro            | SE15190P0   | 101  |
| Stellar Pro (4 kit)    | SE15190PS4  |      |
| Stellar Pro (10 kit)   | SE15190PS10 |      |

## BATTERY, DRAWER & WARDROBE

| PRODUCT                 | CODE          | PAGE |
|-------------------------|---------------|------|
| Alto (562mm)            | SE53002CO     | 104  |
| Alto (962mm)            | SE53202CO     |      |
| Adapter (USB-pin)       | 03.2005.0800  |      |
| Dura Plus               | SE16097CO     | 107  |
| Incline (350mm)         | SE20242CO     | 105  |
| Incline (550mm)         | SE20252CO     |      |
| Incline (850mm)         | SE20272CO     |      |
| Adapter (USB-Micro USB) | SE2007000     |      |
| Magnum (chrome)         | SE3391NO      | 106  |
| Magnum (s. steel)       | SE3300NO      |      |
| Strata (200mm)          | SE11002NO     | 109  |
| Strata (400mm)          | SE11102NO     |      |
| Verso (462mm)           | SE7300HDNW.24 | 108  |
| Verso (562mm)           | SE7305HCNW.24 |      |
| Verso (862mm)           | SE7315HCNW.24 |      |
| Verso (962mm)           | SE7320HCNW.24 |      |

## CEILING & FEATURE LIGHTING

| PRODUCT                                | CODE      | PAGE |
|--|-----------|------|
| Bellatrix                              | SE32001WO | 113  |
| Cara (white)                           | SE62099NO | 120  |
| Cara Bezel (Black)                     | SE630970  |      |
| Cara Bezel (Chrome)                    | SE630910  |      |
| Elena TrioTone® (Black)                | SE62198TO | 120  |
| Elena TrioTone® (Chrome)               | SE62191TO |      |
| Elena TrioTone® (White)                | SE62199TO |      |
| Pure TrioTone®                         | SE62299TO | 117  |
| Solinas (cool)                         | SE82098CO | 115  |
| Solinas (warm)                         | SE82098WO |      |
| TrioTone® IP65<br>Fire Rated Downlight | SE62095TO | 116  |
| TrioTone® Circa (clear)                | SE62094TO | 118  |
| TrioTone® Circa (tint)                 | SE62294TO |      |
| TrioTone® Cube (clear)                 | SE62194TO |      |
| TrioTone® Cube (tint)                  | SE62394TO |      |

**NEW Dual Power**

|                         |           |     |
|-------------------------|-----------|-----|
| TrioTone® Circa (clear) | SE62094TO | 119 |
| TrioTone® Circa (tint)  | SE62294TO |     |
| TrioTone® Cube (clear)  | SE62194TO |     |
| TrioTone® Cube (tint)   | SE62394TO |     |

|                           |           |     |
|---------------------------|-----------|-----|
| TrioTone® Downlight Bezel |           | 117 |
| Black                     | SE620980  |     |
| Brass                     | SE620970  |     |
| Chrome                    | SE631910  |     |
| Copper                    | SE601970  |     |
| Stainless Steel           | SE620900  |     |
| Zirconia                  | SE32101WO | 114 |

## SENSIOPOD POP-UP SOCKETS

| PRODUCT               | CODE     | PAGE |
|-----------------------|----------|------|
| SensioPod E (ss)      | SE891900 | 123  |
| SensioPod E (AL)      | SE894920 |      |
| SensioPod E (BL)      | SE894930 |      |
| SensioPod M           | SE892920 | 124  |
| SensioPod M Bluetooth | SE893920 | 125  |

## LIGHTING CONTROL & ACCESSORIES

| PRODUCT                                    | CODE     | PAGE |
|--|----------|------|
| Kinetic Receiver (240V)                    | SE780990 | 133  |
| Kinetic Switch (1 gang)                    | SE781990 | 133  |
| Kinetic Switch (2 gang)                    | SE782990 |      |
| Kinetic Switch (3 gang)                    | SE783990 |      |
| Link-S<br>(Receiver, Magnet & Reed Switch) | SE79095  | 137  |
| Receiver (Dimming)                         | SE772990 | 135  |
| Receiver (CCT)                             | SE771990 |      |
| Receiver (RGB/CCT)                         | SE770990 |      |
| Titan+ 6W                                  | SE495950 | 128  |
| Titan+ 15W                                 | SE496950 |      |
| Titan+ 30W                                 | SE497950 |      |
| Titan+ Door Sensor                         | SE493250 | 129  |
| Titan+ IR Sensor                           | SE490250 |      |
| Titan+ PIR Sensor                          | SE491250 |      |
| Titan+ Push Switch                         | SE492250 |      |
| Titan+ Sensor Adapter                      | SE797990 | 128  |
| Titan+ Double Door Sensor<br>Adapter       | SE797991 |      |
| Titan Dimmable 30W                         | SE40899  | 130  |
| Titan Dimmable 60W                         | SE40699  |      |
| <b>Kinetic</b>                             |          | 132  |
| Titan Smart 15W (sc)                       | SE406581 |      |
| Titan Smart 30W (sc)                       | SE406591 |      |
| Titan Smart 15W (cct)                      | SE406582 |      |
| Titan Smart 30W (cct)                      | SE406592 |      |
| Titan Smart RGB CCT                        | SE405595 | 131  |
| Universal Remote Control                   | SE770390 | 134  |
| Wireless PIR & Receiver                    | SE790980 | 136  |
| Wireless PIR Sensor                        | SE791980 |      |

# FAQ

---

Do you have a question about our products or services? Answers to some common questions can be found below. If you have a question that is not answered here, please visit our website or call us for further information.

## **DO YOU OFFER A PRODUCT GUARANTEE?**

We offer a 5-year guarantee across all kitchen and bedroom products. For full terms and conditions, please visit [sensiolighting.com/pages/sensio-guarantee](https://www.sensiolighting.com/pages/sensio-guarantee)

## **HOW DO I SET UP A TRADE ACCOUNT?**

If you operate a business and would like further details on how to apply for a trade account, please email [info@sensiolighting.com](mailto:info@sensiolighting.com) or call 01977 522 020. On successful completion of an account application, you will be able to purchase directly via the website or via ([orders@sensiolighting.com](mailto:orders@sensiolighting.com)). Qualification criteria must be met to be accepted for a direct account, details of which are specified under our terms and conditions which can be found on our website or by contacting our Customer Experience Team.

## **I'M A CONSUMER BUYING FOR MY OWN USE - WHERE CAN I BUY SENSIO PRODUCTS?**

You'll find Sensio products stocked nationally through a large number of both online and high street retailers, and kitchen and bedroom showrooms.

## **DO YOU OFFER FREE OF CHARGE DELIVERY?**

We offer free delivery, usually within 2 days (Monday to Friday) to UK Mainland destinations for all orders over £250 (excluding VAT) placed before 2pm. We have a minimum order value per order of £150.00 (excluding VAT). A charge of £9.95 for carriage and handling will be added to all orders between £150 and £250 (excluding VAT) for deliveries within the UK mainland only. Channel Islands, Isle of Man, Scottish Highlands and Eire will incur a separate delivery charge, determined by the destination and weight of the total order. Please contact our team for further information.

## **WHERE CAN I FIND FURTHER TECHNICAL DETAILS AND INSTALLATION INFORMATION?**

Head to the product pages of [www.sensiolighting.com](https://www.sensiolighting.com). At the bottom of each product page you will find technical specifications and installation guides.



# GET IN TOUCH

---

We hope you enjoy this Sensio brochure and are inspired to discover how lighting can transform the home. When you have finished with it, please pass it on or recycle it.

Please note that the colours in this brochure are as accurate as the printing process will allow, and we recommend that you view a product prior to purchase.

All prices are inclusive of 20% VAT and are Sensio's recommended retail prices. Prices and technical information are correct at the time of print (October 2023) and are subject to change throughout the course of the year without prior notification. Errors and omissions excepted.

For more information on our terms and conditions, please visit [sensiolighting.com/pages/terms-and-conditions](https://sensiolighting.com/pages/terms-and-conditions)

## GET THE LATEST IN LIGHTING

Keep up to date with product news and information from us at Sensio.



/sensio-ltd



@sensio\_ltd



/sensiolighting



/sensio-ltd



@sensio\_ltd



@Sensio\_Ltd



/sensiolighting

Unit 7 Speedwell Road  
Whitwood  
Castleford  
West Yorkshire  
WF10 5PY  
United Kingdom

Tel: +44 (0)1977 522 020  
Email: [info@sensiolighting.com](mailto:info@sensiolighting.com)  
Web: [sensio.co.uk](http://sensio.co.uk)

